

Chippewa Prairie

Plant List

Specimen Determination	Common Name
<i>Acer negundo</i>	boxelder ; ash-leaf maple
<i>Achillea millefolium</i>	common yarrow
<i>Agalinis aspera</i>	tall false foxglove ; rough false foxglove
<i>Agrostis gigantea</i>	redtop ; black bent
<i>Agrostis scabra</i>	winter bent ; rough bent
<i>Allium canadense</i> var. <i>canadense</i>	meadow garlic ; wild garlic
<i>Allium stellatum</i>	autumn onion ; prairie onion
<i>Allium textile</i>	textile onion ; white wild onion
<i>Ambrosia artemisiifolia</i>	common ragweed ; annual ragweed
<i>Ambrosia psilostachya</i>	western ragweed ; perennial ragweed
<i>Ambrosia trifida</i>	giant ragweed ; great ragweed
<i>Amorpha canescens</i>	leadplant
<i>Andropogon gerardii</i>	big bluestem
<i>Androsace occidentalis</i>	western rock-jasmine ; western androsace
<i>Anemone canadensis</i>	round-leaf thimbleweed ; Canada anemone
<i>Anemone cylindrica</i>	long-head thimbleweed ; candle anemone
<i>Anemone patens</i> var. <i>multifida</i>	American pasque flower ; prairie-smoke
<i>Antennaria neglecta</i>	field pussytoes
<i>Anthoxanthum hirtum</i>	vanillagrass ; wacan'ga
<i>Apocynum sibiricum</i>	clasping dogbane ; Indian-hemp
<i>Arabis pycnocarpa</i> var. <i>pycnocarpa</i>	hairy rockcress
<i>Arctium minus</i>	lesser burdock ; common burdock
<i>Artemisia campestris</i> ssp. <i>caudata</i>	Pacific wormwood ; field sagewort
<i>Artemisia ludoviciana</i> ssp. <i>ludoviciana</i>	white sagebrush ; western mugwort
<i>Asclepias incarnata</i> var. <i>incarnata</i>	swamp milkweed
<i>Asclepias lanuginosa</i>	side-cluster milkweed
<i>Asclepias speciosa</i>	showy milkweed
<i>Asclepias verticillata</i>	whorled milkweed
<i>Asclepias viridiflora</i>	green comet milkweed
<i>Asparagus officinalis</i>	common asparagus ; garden asparagus
<i>Astragalus agrestis</i>	field milk-vetch ; cock's-head
<i>Astragalus canadensis</i>	Canadian milk-vetch
<i>Astragalus crassicaarpus</i> var. <i>crassicaarpus</i>	ground-plum ; prairie-plum
<i>Bidens cernua</i>	nodding beggar-ticks ; nodding burr-marigold
<i>Bidens frondosa</i>	devil's beggar-ticks ; devil's pitchfork
<i>Bidens vulgata</i>	big devil's beggar-ticks ; tall beggar-ticks
<i>Boltonia asteroides</i> var. <i>recognita</i>	white doll's daisy ; boltonia
<i>Bouteloua curtipendula</i>	sideoats gramma ; semiphoregrass
<i>Bouteloua gracilis</i>	blue gramma ; peji' oki'jata
<i>Bouteloua hirsuta</i>	hairy gramma

Specimen Determination	Common Name
<i>Bromus inermis</i>	smooth brome ; Hungarian brome
<i>Bromus japonicus</i>	Japanese brome ; Japanese chess
<i>Calamagrostis canadensis</i>	Canada bluejoint
<i>Calamovilfa longifolia</i> var. <i>longifolia</i>	prairie sand reed ; giant sand reed
<i>Calylophus serrulatus</i>	yellow sundrops
<i>Calystegia sepium</i>	hedge false bindweed
<i>Cannabis sativa</i>	marijuana ; hemp
<i>Capsella bursa-pastoris</i>	shepherd's-purse
<i>Carex bicknellii</i>	Bicknell's sedge
<i>Carex brevior</i>	Plains oval sedge ; shortbeak sedge
<i>Carex duriuscula</i>	hard sedge ; needleleaf sedge
<i>Carex gravida</i>	heavy sedge ; long-awn bracted sedge
<i>Carex pellita</i>	brown-leaf woolly sedge ; woolly sedge
<i>Carex vulpinoidea</i>	fox sedge ; yellowfruit sedge
<i>Cenchrus longispinus</i>	mat sandbur
<i>Chenopodium album</i>	lamb's-quarters ; white lamb's-quarters
<i>Cirsium arvense</i>	Canada thistle
<i>Cirsium flodmanii</i>	Flodman's thistle ; prairie thistle
<i>Convolvulus arvensis</i>	field bindweed
<i>Conyza canadensis</i>	Canadian horseweed
<i>Cuscuta glomerata</i>	rope dodder
<i>Cuscuta gronovii</i>	common dodder ; scaldweed
<i>Cyperus schweinitzii</i>	Schweinitz's flatsedge
<i>Dalea candida</i>	white prairie-clover
<i>Dalea purpurea</i>	purple prairie-clover ; violet prairie-clover
<i>Delphinium carolinianum</i> var. <i>virescens</i>	Carolina larkspur
<i>Desmodium canadense</i>	showy tick-trefoil ; Canadian tick-trefoil
<i>Dichanthelium leibergii</i>	Leiberg's panicgrass
<i>Dichanthelium oligosanthos</i> ssp. <i>scribnerianum</i>	few-flowered panicgrass ; Heller's rosettegrass
<i>Dichanthelium ovale</i> ssp. <i>praecocius</i>	stiff-leaf panicgrass
<i>Dichanthelium wilcoxianum</i>	Wilcox's panicgrass ; fall rosettegrass
<i>Doellingeria umbellata</i>	parasol whitetop ; tall flat-top aster
<i>Draba nemorosa</i>	woodland whitlow-grass ; woodland draba
<i>Echinacea angustifolia</i>	purple coneflower; blacksamson echinacea
<i>Echinocystis lobata</i>	wild cucumber ; balsam-apple
<i>Elaeagnus angustifolia</i>	Russian-olive
<i>Eleocharis engelmannii</i>	Engelmann's spikerush
<i>Eleocharis palustris</i>	marsh spikerush ; common spikerush
<i>Ellisia nyctelea</i>	waterpod ; aunt lucy
<i>Elymus canadensis</i>	Canada wild rye ; pteya' hota
<i>Elymus repens</i>	quackgrass
<i>Elymus trachycaulus</i> ssp. <i>subsecundus</i>	slender wild rye ; slender wheatgrass
<i>Equisetum laevigatum</i>	smooth horsetail ; smooth scouring-rush

Specimen Determination	Common Name
<i>Erigeron strigosus</i>	prairie fleabane ; rough fleabane
<i>Euphorbia esula</i>	leafy spurge ; wolf's milk
<i>Euphorbia serpyllifolia</i>	thyme-leaf sandmat
<i>Euthamia gymnospermoides</i>	Texas goldentop ; Great Plains flat-top goldenrod
<i>Eutrochium maculatum</i> var. <i>bruneri</i>	spotted joe-pye-weed
<i>Fallopia convolvulus</i>	black-bindweed ; false wild buckwheat
<i>Fragaria virginiana</i>	Virginia strawberry
<i>Galium aparine</i>	cleavers ; sticky-willy
<i>Galium boreale</i>	northern bedstraw
<i>Galium obtusum</i> var. <i>obtusum</i>	blunt-leaf bedstraw
<i>Gaura coccinea</i>	scarlet beeblossom ; scarlet gaura
<i>Gentiana puberulenta</i>	downy gentian ; prairie gentian
<i>Geum triflorum</i>	prairie smoke ; old-man's-whiskers
<i>Glycyrrhiza lepidota</i>	American licorice
<i>Grindelia squarrosa</i>	curly-cup gumweed ; curly-cap gumweed
<i>Hedeoma hispida</i>	rough false pennyroyal
<i>Helianthus grosseserratus</i>	sawtooth sunflower
<i>Helianthus maximiliani</i>	Maximilian's sunflower ; michaelmas-daisy
<i>Helianthus pauciflorus</i> ssp. <i>pauciflorus</i>	stiff sunflower ; prairie sunflower
<i>Helianthus pauciflorus</i> ssp. <i>subrhomboideus</i>	stiff sunflower ; prairie sunflower
<i>Helianthus tuberosus</i>	Jerusalem-artichoke ; woodland sunflower
<i>Heliopsis helianthoides</i> var. <i>scabra</i>	sunflower-everlasting ; smooth ox-eye
<i>Hesperostipa comata</i>	needle-and-thread grass
<i>Hesperostipa spartea</i>	porcupinegrass
<i>Heterotheca villosa</i> var. <i>minor</i>	hairy false golden-aster
<i>Heuchera richardsonii</i>	prairie alumroot ; Richardson's alumroot
<i>Hordeum jubatum</i>	foxtail barley ; squirrel tail
<i>Hypericum majus</i>	large St. John's-wort ; greater Canadian St. John's-wort
<i>Hypoxis hirsuta</i>	eastern yellow star-grass
<i>Juncus nodosus</i>	knotted rush
<i>Juniperus virginiana</i> var. <i>virginiana</i>	eastern red-cedar
<i>Koeleria macrantha</i>	prairie junegrass ; prairie Koeler's grass
<i>Lactuca ludoviciana</i>	Louisiana lettuce ; prairie lettuce
<i>Lactuca serriola</i>	prickly lettuce
<i>Lappula redowskii</i>	western stickseed ; flatspine sheep-burr
<i>Lappula squarrosa</i>	two-row stickseed ; bristly sheep-burr
<i>Lepidium densiflorum</i>	prairie pepper-grass ; miner's pepperwort
<i>Liatris aspera</i>	rough blazing star ; tall gayfeather
<i>Liatris punctata</i>	dotted blazing star ; dotted gayfeather
<i>Lilium philadelphicum</i>	wood lily
<i>Linum rigidum</i> var. <i>rigidum</i>	stiff-stem yellow flax ; large-flower yellow flax

Specimen Determination	Common Name
<i>Lithospermum canescens</i>	hoary puccoon
<i>Lithospermum incisum</i>	narrow-leaf puccoon ; fringed gromwell
<i>Lobelia spicata</i>	spiked lobelia ; pale-spike lobelia
<i>Lomatium orientale</i>	northern Idaho biscuitroot ; Oriental desert-parsley
<i>Lonicera morrowii</i>	Morrow's honeysuckle
<i>Lotus purshianus</i>	prairie bird's-foot trefoil ; spanish-clover
<i>Luzula acuminata</i> var. <i>acuminata</i>	hairy wood-rush
<i>Lygodesmia juncea</i>	rush skeleton plant ; skeleton weed
<i>Lysimachia ciliata</i>	fringed loosestrife
<i>Lysimachia hybrida</i>	lowland loosestrife ; Mississippi Valley loosestrife
<i>Matricaria discoidea</i>	pineapple weed ; disc mayweed
<i>Medicago lupulina</i>	black medick
<i>Medicago sativa</i>	alfalfa
<i>Medicago sativa</i> ssp. <i>falcata</i>	alfalfa
<i>Melilotus alba</i>	white sweet-clover
<i>Melilotus officinalis</i>	yellow sweet-clover
<i>Mentha arvensis</i> var. <i>canadensis</i>	American wild mint ; ceya' ka
<i>Mirabilis albida</i>	hairy four-o'clock ; hairy umbrellawort
<i>Mirabilis nyctaginea</i>	heart-leaf four-o'clock
<i>Monarda fistulosa</i>	mint-leaf beabalm ; wahpe' was'tem'na
<i>Morus alba</i>	white mulberry ; Russian mulberry
<i>Muhlenbergia cuspidata</i>	Plains muhly
<i>Muhlenbergia glomerata</i>	spike muhly ; marsh muhly
<i>Muhlenbergia mexicana</i>	wirestem muhly ; Mexican muhly
<i>Muhlenbergia racemosa</i>	satingrass ; marsh muhly
<i>Mulgedium pulchellum</i>	common blue lettuce ; Russian blue lettuce
<i>Myosurus minimus</i>	tiny mousetail
<i>Nassella viridula</i>	green needlegrass ; feather bunchgrass
<i>Nepeta cataria</i>	catnip
<i>Nothocalais cuspidata</i>	false dandelion ; wavy-leaf prairie-dandelion
<i>Oenothera biennis</i> var. <i>biennis</i>	common evening-primrose ; king's cure-all
<i>Onosmodium molle</i> var. <i>occidentale</i>	western false gromwell ; soft-hair marbleseed
<i>Oxalis dillenii</i>	tufted yellow wood-sorrel ; upright yellow wood-sorrel
<i>Oxalis violacea</i>	violet wood-sorrel
<i>Oxytropis lambertii</i> var. <i>lambertii</i>	stemless locoweed ; purple locoweed
<i>Packera plattensis</i>	prairie groundsel ; Platte River ragwort
<i>Packera pseudoaurea</i> var. <i>semicordata</i>	false-gold groundsel ; western golden ragwort
<i>Panicum capillare</i>	witchgrass
<i>Panicum virgatum</i>	switchgrass
<i>Parthenocissus vitacea</i>	grape woodbine ; thicket creeper

Specimen Determination	Common Name
<i>Pediomelum argophyllum</i>	silvery scurf-pea ; silver-leaf Indian breadroot
<i>Pediomelum esculentum</i>	shaggy prairie-turnip ; large Indian breadroot
<i>Penstemon albidus</i>	prairie beardtongue ; red-line beardtongue
<i>Penstemon gracilis</i>	slender beardtongue ; lilac beardtongue
<i>Penstemon grandiflorus</i>	shell-leaf penstemon ; large-flowered beardtongue
<i>Persicaria amphibia</i>	water smartweed
<i>Persicaria hydropiper</i>	mild water-pepper ; common smartweed
<i>Persicaria pensylvanica</i>	pinkweed ; Pennsylvania smartweed
<i>Phalaris arundinacea</i>	reed canarygrass
<i>Phleum pratense</i>	common timothy
<i>Phlox pilosa</i> var. <i>fulgida</i>	downy phlox
<i>Physalis heterophylla</i> var. <i>heterophylla</i>	clammy ground-cherry
<i>Physalis virginiana</i>	Virginia ground-cherry
<i>Plantago rugelii</i>	black-seed plantain ; American plantain
<i>Poa compressa</i>	Canada bluegrass ; flat-stem bluegrass
<i>Poa palustris</i>	meadow bluegrass ; waterfowl meadowgrass
<i>Poa pratensis</i>	Kentucky bluegrass
<i>Polygala verticillata</i> var. <i>isocycla</i>	whorled milkwort
<i>Polygonatum biflorum</i>	king solomon's seal ; giant solomon's seal
<i>Polygonum achoreum</i>	leathery knotweed
<i>Polygonum aviculare</i> ssp. <i>buxiforme</i>	oval-leaf knotweed ; dooryard knotweed
<i>Polygonum ramosissimum</i>	yellow-flower knotweed ; bushy knotweed
<i>Populus deltoides</i> ssp. <i>monilifera</i>	eastern cottonwood
<i>Potentilla arguta</i>	tall cinquefoil
<i>Potentilla norvegica</i>	strawberryweed ; Norwegian cinquefoil
<i>Potentilla pensylvanica</i> var. <i>pensylvanica</i>	prairie cinquefoil ; Pennsylvania cinquefoil
<i>Potentilla recta</i>	sulphur cinquefoil ; rough-fruit potentilla
<i>Prenanthes alba</i>	white rattlesnake root ; white-lettuce
<i>Prunus americana</i>	wild plum ; American plum
<i>Prunus virginiana</i>	choke cherry
<i>Pycnanthemum virginianum</i>	Virginia mountain mint
<i>Ranunculus rhomboideus</i>	Labrador buttercup ; prairie buttercup
<i>Ratibida columnifera</i>	upright prairie coneflower ; red-spike Mexican hat
<i>Rorippa palustris</i> ssp. <i>hispida</i>	yellow cress ; bog yellow cress
<i>Rosa arkansana</i>	dwarf prairie rose
<i>Rosa blanda</i>	smooth rose ; Labrador rose
<i>Rumex stenophyllus</i>	narrow-leaf dock
<i>Salix petiolaris</i>	meadow willow
<i>Salsola collina</i>	slender Russian-thistle ; salsola tumbleweed
<i>Sambucus racemosa</i>	red elderberry ; red-berried elder
<i>Schizachyrium scoparium</i> var. <i>scoparium</i>	little bluestem

Specimen Determination	Common Name
<i>Scirpus pallidus</i>	pale bulrush ; cloaked bulrush
<i>Scrophularia lanceolata</i>	lance-leaf figwort
<i>Senecio integerrimus</i> var. <i>integerrimus</i>	lamb's-tongue ragwort ; single-stem groundsel
<i>Setaria pumila</i>	yellow foxtail ; pearl millet
<i>Setaria viridis</i>	green foxtail ; green bristlegrass
<i>Silene antirrhina</i>	sleepy catchfly ; sleepy silene
<i>Silene latifolia</i>	white campion ; bladder campion
<i>Sisymbrium altissimum</i>	tumbling mustard ; tall hedge mustard
<i>Sisyrinchium campestre</i>	prairie blue-eyed-grass
<i>Solanum nigrum</i> var. <i>virginicum</i>	black nightshade
<i>Solidago altissima</i> ssp. <i>gilvocanescens</i>	late goldenrod
<i>Solidago gigantea</i>	late goldenrod ; giant goldenrod
<i>Solidago missouriensis</i>	Missouri goldenrod
<i>Solidago nemoralis</i> ssp. <i>nemoralis</i>	gray goldenrod
<i>Solidago ptarmicoides</i>	prairie goldenrod ; sneezewort-aster
<i>Solidago rigida</i> ssp. <i>humilis</i>	stiff goldenrod
<i>Solidago speciosa</i>	showy goldenrod
<i>Sonchus arvensis</i> ssp. <i>uliginosus</i>	field sow-thistle ; perennial sow-thistle
<i>Sorghastrum nutans</i>	Indiangrass
<i>Spartina pectinata</i>	prairie cordgrass ; santu'hu tan'ka
<i>Spiraea alba</i> var. <i>alba</i>	white meadowsweet
<i>Sporobolus heterolepis</i>	prairie dropseed ; northern dropseed
<i>Stachys palustris</i> var. <i>pilosa</i>	woundwort ; marsh hedge-nettle
<i>Symphoricarpos occidentalis</i>	wolfberry ; western snowberry
<i>Symphyotrichum ericoides</i>	frost aster ; white heath aster
<i>Symphyotrichum lanceolatum</i> var. <i>lanceolatum</i>	white panicle aster ; eastern lined aster
<i>Symphyotrichum oblongifolium</i>	aromatic aster
<i>Symphyotrichum ontarionis</i>	bottomland aster ; Ontario aster
<i>Symphyotrichum sericeum</i>	western silky aster ; western silver aster
<i>Taraxacum officinale</i>	common dandelion
<i>Thalictrum dasycarpum</i>	purple meadow-rue ; tall meadow-rue
<i>Tradescantia bracteata</i>	sticky spiderwort ; longbract spiderwort
<i>Tragopogon dubius</i>	meadow goat's-beard ; yellow salsify
<i>Trifolium pratense</i>	red clover
<i>Trifolium repens</i>	white clover
<i>Typha latifolia</i>	broad-leaf cattail
<i>Ulmus americana</i>	American elm
<i>Ulmus pumila</i>	Siberian elm
<i>Urtica dioica</i> ssp. <i>gracilis</i>	stinging nettle
<i>Verbascum thapsus</i>	flannel mullein; great mullein
<i>Verbena bracteata</i>	carpet vervain; creeping vervain
<i>Verbena stricta</i>	hoary vervain
<i>Vernonia fasciculata</i>	prairie ironweed

Specimen Determination	Common Name
<i>Veronica peregrina</i> var. <i>xalapensis</i>	purslane speedwell; neckweed
<i>Viola palmata</i> var. <i>pedatifida</i>	crow's-foot violet; early blue violet
<i>Vulpia octoflora</i> var. <i>glauca</i>	six-weeks fescue; eight-flower six-weeks fescue
<i>Xanthium strumarium</i>	rough cocklebur; common cocklebur
<i>Zigadenus elegans</i>	mountain death-camas
<i>Zizia aptera</i>	heart-leaf alexanders; meadow alexanders
<i>Zizia aurea</i>	golden alexanders

Source: J. F. Bell Museum of Natural History Herbarium, Vascular plant collection database