

Helen Allison Savanna SNA

Plant List

Specimen Determination	Common Name
<i>Achillea millefolium</i>	common yarrow
<i>Agalinis purpurea</i> var. <i>parviflora</i>	purple false foxglove
<i>Agrostis scabra</i>	winter bent ; rough bent
<i>Ambrosia psilostachya</i>	western ragweed ; perennial ragweed
<i>Amelanchier laevis</i>	smooth juneberry ; Allegheny serviceberry
<i>Amorpha canescens</i>	leadplant
<i>Amphicarpaea bracteata</i>	American hog-peanut ; omni'ca
<i>Anemone cylindrica</i>	long-head thimbleweed ; candle anemone
<i>Anemone patens</i> var. <i>multifida</i>	American pasque flower ; prairie-smoke
<i>Antennaria howellii</i> ssp. <i>neodioica</i>	Howell's pussytoes ; field pussytoes
<i>Antennaria plantaginifolia</i>	woman's-tobacco ; plantain-leaf pussytoes
<i>Apocynum androsaemifolium</i>	spreading dogbane
<i>Apocynum sibiricum</i>	clasping dogbane ; Indian-hemp
<i>Aquilegia canadensis</i>	red columbine
<i>Aristida tuberculosa</i>	seaside three-awn ; sea-beach needlegrass
<i>Artemisia campestris</i> ssp. <i>caudata</i>	Pacific wormwood ; field sagewort
<i>Artemisia ludoviciana</i> ssp. <i>ludoviciana</i>	white sagebrush ; western mugwort
<i>Asclepias incarnata</i> var. <i>incarnata</i>	swamp milkweed
<i>Asclepias syriaca</i>	common milkweed
<i>Asclepias tuberosa</i> ssp. <i>interior</i>	butterfly milkweed ; butterfly plant
<i>Asclepias viridiflora</i>	green comet milkweed
<i>Asparagus officinalis</i>	common asparagus ; garden asparagus
<i>Astragalus canadensis</i>	Canadian milk-vetch
<i>Berteroa incana</i>	hoary-alyssum ; hoary false madwort
<i>Betula papyrifera</i>	paper birch ; canoe birch
<i>Boechera grahamii</i>	pink rockcress ; spreading-pod rockcress
<i>Botrychium multifidum</i>	leathery grape fern
<i>Bouteloua hirsuta</i>	hairy gramma
<i>Bromus inermis</i>	smooth brome ; Hungarian brome
<i>Calamagrostis canadensis</i>	Canada bluejoint
<i>Calamovilfa longifolia</i> var. <i>longifolia</i>	prairie sand reed ; giant sand reed
<i>Campanula aparinoides</i>	marsh bellflower ; bedstraw bellflower
<i>Campanula rotundifolia</i>	bluebell of Scotland ; harebell
<i>Carex bicknellii</i>	Bicknell's sedge
<i>Carex buxbaumii</i>	Buxbaum's sedge
<i>Carex haydenii</i>	Hayden's sedge ; long-scal tussock sedge
<i>Carex inops</i> ssp. <i>heliophila</i>	sun sedge ; long-stolon sedge
<i>Carex muehlenbergii</i> var. <i>muehlenbergii</i>	Muehlenberg's sedge ; sand bracted sedge
<i>Carex pellita</i>	brown-leaf woolly sedge ; woolly sedge
<i>Carex scoparia</i>	broom sedge ; lance-fruited sedge

Specimen Determination	Common Name
<i>Carex siccata</i>	hay sedge ; hillside sedge
<i>Carex umbellata</i>	early oak sedge ; parasol sedge
<i>Carex vesicaria</i>	blister sedge ; tufted lake sedge
<i>Cenchrus longispinus</i>	mat sandbur
<i>Chenopodium album</i>	lamb's-quarters ; white lamb's-quarters
<i>Chenopodium leptophyllum</i>	narrow-leaf goosefoot
<i>Comandra umbellata</i> var. <i>umbellata</i>	bastard-toadflax
<i>Conyza canadensis</i>	Canadian horseweed
<i>Coreopsis palmata</i>	stiff tickseed ; prairie coreopsis
<i>Cornus amomum</i> var. <i>schuetzeana</i>	silky dogwood ; knob-style dogwood
<i>Corylus americana</i>	American hazelnut
<i>Crepis tectorum</i>	narrow-leaf hawk's-beard
<i>Cycloloma atriplicifolium</i>	winged pigweed
<i>Cyperus lupulinus</i> ssp. <i>lupulinus</i>	Great Plains flatsedge
<i>Cyperus lupulinus</i> ssp. <i>macilentus</i>	Great Plains flatsedge
<i>Cyperus schweinitzii</i>	Schweinitz's flatsedge
<i>Cyperus x mesochorus</i>	Midland sand sedge
<i>Dalea candida</i>	white prairie-clover
<i>Dalea purpurea</i>	purple prairie-clover ; violet prairie-clover
<i>Dalea villosa</i> var. <i>villosa</i>	silky prairie-clover ; downy prairie-clover
<i>Delphinium carolinianum</i> var. <i>virescens</i>	Carolina larkspur
<i>Desmodium canadense</i>	showy tick-trefoil ; Canadian tick-trefoil
<i>Dichanthelium acuminatum</i>	hairy panicgrass ; tapered rosettegrass
<i>Dichanthelium acuminatum</i> ssp. <i>fasciculatum</i>	hairy panicgrass ; tapered rosettegrass
<i>Dichanthelium oligosanthos</i> ssp. <i>scribnerianum</i>	few-flowered panicgrass ; Heller's rosettegrass
<i>Dichanthelium ovale</i> ssp. <i>pseudopubescens</i>	stiff-leaf panicgrass
<i>Digitaria cognata</i>	fall witchgrass
<i>Digitaria sanguinalis</i>	hairy crabgrass ; northern crabgrass
<i>Diphasiastrum digitatum</i>	fan clubmoss ; southern groundcedar
<i>Doellingeria umbellata</i> var. <i>pubens</i>	parasol whitetop ; tall flat-top aster
<i>Elymus canadensis</i>	Canada wild rye ; pteya' hota
<i>Elymus repens</i>	quackgrass
<i>Equisetum x ferrissii</i>	Ferriss' scouring-rush ; scouring-rush hybrid
<i>Eragrostis spectabilis</i>	purple lovegrass ; tumblegrass
<i>Erigeron strigosus</i>	prairie fleabane ; rough fleabane
<i>Erigeron strigosus</i> var. <i>strigosus</i>	prairie fleabane ; rough fleabane
<i>Eupatorium perfoliatum</i>	common boneset ; purple boneset
<i>Euphorbia corollata</i> var. <i>corollata</i>	flowering spurge
<i>Euphorbia glyptosperma</i>	ridge-seed spurge ; rib-seed sandmat
<i>Euthamia gymnospermoides</i>	Texas goldentop ; Great Plains flat-top goldenrod
<i>Fallopia convolvulus</i>	black-bindweed ; false wild buckwheat
<i>Fragaria virginiana</i>	Virginia strawberry

Specimen Determination	Common Name
<i>Fraxinus pennsylvanica</i>	green ash ; red ash
<i>Galium boreale</i>	northern bedstraw
<i>Gentiana rubricaulis</i>	closed gentian ; rose-stem gentian
<i>Geum triflorum</i>	prairie smoke ; old-man's-whiskers
<i>Hedeoma hispida</i>	rough false pennyroyal
<i>Helianthemum bicknellii</i>	hoary frostweed ; hoary rockrose
<i>Helianthus pauciflorus</i> ssp. <i>pauciflorus</i>	stiff sunflower ; prairie sunflower
<i>Helianthus petiolaris</i> ssp. <i>petiolaris</i>	prairie sunflower ; Great Plains sunflower
<i>Hesperostipa spartea</i>	porcupinegrass
<i>Heterotheca villosa</i> var. <i>villosa</i>	hairy false golden-aster
<i>Heuchera richardsonii</i>	prairie alumroot ; Richardson's alumroot
<i>Hieracium longipilum</i>	hairy hawkweed ; long-hair hawkweed
<i>Hudsonia tomentosa</i>	woolly beach-heather ; sand golden-heather
<i>Hypericum majus</i>	large St. John's-wort ; greater Canadian St. John's-wort
<i>Hypoxis hirsuta</i>	eastern yellow star-grass
<i>Iris versicolor</i>	northern blue flag ; harlequin blue iris
<i>Juncus arcticus</i> var. <i>balticus</i>	arctic rush
<i>Juncus greenei</i>	Greene's rush
<i>Juniperus communis</i> var. <i>depressa</i>	common juniper ; bush juniper
<i>Juniperus virginiana</i> var. <i>virginiana</i>	eastern red-cedar
<i>Koeleria macrantha</i>	prairie junegrass ; prairie Koeler's grass
<i>Krigia biflora</i>	two-flower dwarf-dandelion ; lemon-flowered cynthia
<i>Lactuca canadensis</i>	Canada lettuce ; Florida blue lettuce
<i>Lathyrus venosus</i> var. <i>intonsus</i>	forest-pea ; veiny vetchling
<i>Lechea stricta</i>	prairie pinweed
<i>Lepidium densiflorum</i>	prairie pepper-grass ; miner's pepperwort
<i>Lespedeza capitata</i>	round-head bush-clover
<i>Liatris aspera</i>	rough blazing star ; tall gayfeather
<i>Liatris ligulistylis</i>	Plains blazing star ; strap-style gayfeather
<i>Lithospermum canescens</i>	hoary puccoon
<i>Lithospermum caroliniense</i> var. <i>croceum</i>	hairy puccoon ; Carolina puccoon
<i>Lobelia spicata</i>	spiked lobelia ; pale-spike lobelia
<i>Lobelia spicata</i> var. <i>spicata</i>	spiked lobelia ; pale-spike lobelia
<i>Lycopodium lagopus</i>	one-cone clubmoss
<i>Lycopus americanus</i>	cut-leaf water-horehound ; American water-horehound
<i>Lycopus uniflorus</i>	northern water-horehound
<i>Lysimachia ciliata</i>	fringed loosestrife
<i>Maianthemum canadense</i>	false lily-of-the-valley ; Canada mayflower
<i>Maianthemum stellatum</i>	starflower solomon's-seal ; yapi' zapi' hu
<i>Melilotus alba</i>	white sweet-clover

Specimen Determination	Common Name
<i>Mirabilis albida</i>	hairy four-o'clock ; hairy umbrellawort
<i>Moehringia lateriflora</i>	bluntleaf sandwort ; grove sandwort
<i>Mollugo verticillata</i>	carpet weed ; Indian-chickweed
<i>Monarda fistulosa</i> var. <i>fistulosa</i>	mint-leaf beabalm ; wahpe' was'tem'na
<i>Oenothera clelandii</i>	lesser four-point evening-primrose
<i>Oenothera rhombipetala</i>	rhombic evening-primrose ; greater four-point evening-primrose
<i>Onoclea sensibilis</i>	sensitive fern
<i>Osmunda claytoniana</i>	interrupted fern
<i>Osmunda regalis</i> var. <i>spectabilis</i>	royal fern
<i>Packera paupercula</i>	balsam groundsel ; balsam ragwort
<i>Panicum capillare</i>	witchgrass
<i>Panicum virgatum</i>	switchgrass
<i>Parthenocissus vitacea</i>	grape woodbine ; thicket creeper
<i>Pedicularis canadensis</i>	forest lousewort ; Canada lousewort
<i>Penstemon gracilis</i>	slender beardtongue ; lilac beardtongue
<i>Penstemon grandiflorus</i>	shell-leaf penstemon ; large-flowered beardtongue
<i>Persicaria amphibia</i>	water smartweed
<i>Persicaria pensylvanica</i>	pinkweed ; Pennsylvania smartweed
<i>Persicaria sagittata</i>	arrowleaf tearthumb
<i>Phleum pratense</i>	common timothy
<i>Phlox pilosa</i> var. <i>fulgida</i>	downy phlox
<i>Physalis virginiana</i>	Virginia ground-cherry
<i>Picea glauca</i>	white spruce
<i>Pinus banksiana</i>	jack pine
<i>Pinus resinosa</i>	red pine ; Norway pine
<i>Platanthera lacera</i>	ragged fringed orchid ; green fringed orchid
<i>Poa palustris</i>	meadow bluegrass ; waterfowl meadowgrass
<i>Poa pratensis</i>	Kentucky bluegrass
<i>Polygala polygama</i> var. <i>obtusata</i>	racemed milkwort ; bitter milkwort
<i>Polygala sanguinea</i>	purple milkwort ; blood milkwort
<i>Polygonatum biflorum</i>	king solomon's seal ; giant solomon's seal
<i>Polygonella articulata</i>	coastal jointweed
<i>Polygonum tenue</i>	pleated knotweed ; pleat-leaf knotweed
<i>Populus tremuloides</i>	trembling aspen ; quaking aspen
<i>Potentilla arguta</i>	tall cinquefoil
<i>Potentilla norvegica</i>	strawberryweed ; Norwegian cinquefoil
<i>Potentilla simplex</i>	old-field cinquefoil ; common cinquefoil
<i>Prunus pumila</i>	Great Lakes sand cherry
<i>Prunus serotina</i>	black cherry
<i>Prunus virginiana</i>	choke cherry
<i>Pseudognaphalium obtusifolium</i>	sweet everlasting ; fragrant cudweed

Specimen Determination	Common Name
<i>Pycnanthemum virginianum</i>	Virginia mountain mint
<i>Quercus ellipsoidalis</i>	northern pin oak ; Hill's oak
<i>Quercus macrocarpa</i>	bur oak ; u'tahu can
<i>Quercus rubra</i>	northern red oak
<i>Ranunculus pensylvanicus</i>	bristly buttercup ; Pennsylvania buttercup
<i>Ranunculus rhomboideus</i>	Labrador buttercup ; prairie buttercup
<i>Rhus glabra</i>	smooth sumac ; canzi'
<i>Rosa arkansana</i>	dwarf prairie rose
<i>Rosa blanda</i>	smooth rose ; Labrador rose
<i>Rubus</i>	
<i>Rubus flagellaris</i>	whiplash dewberry ; northern dewberry
<i>Rubus uniformis</i>	thornless dewberry
<i>Rudbeckia hirta</i> var. <i>pulcherrima</i>	black-eyed-susan
<i>Rumex acetosella</i>	common sheep sorrel ; red sorrel
<i>Salix discolor</i>	pussy willow
<i>Salix humilis</i>	upland willow ; prairie willow
<i>Salix petiolaris</i>	meadow willow
<i>Schizachyrium scoparium</i> var. <i>scoparium</i>	little bluestem
<i>Scirpus cyperinus</i>	wool-grass ; cotton-grass bulrush
<i>Scleria triglomerata</i>	whip nutrush ; tall nutrush
<i>Scutellaria leonardii</i>	little skullcap ; small skullcap
<i>Setaria pumila</i>	yellow foxtail ; pearl millet
<i>Silene latifolia</i>	white campion ; bladder campion
<i>Sisyrinchium campestre</i>	prairie blue-eyed-grass
<i>Smilax lasioneura</i>	Blue Ridge carrion-flower ; Blue Ridge greenbrier
<i>Solidago missouriensis</i>	Missouri goldenrod
<i>Solidago nemoralis</i> ssp. <i>decemflora</i>	gray goldenrod
<i>Solidago rigida</i>	stiff goldenrod
<i>Solidago speciosa</i>	showy goldenrod
<i>Solidago speciosa</i> var. <i>speciosa</i>	showy goldenrod
<i>Sorghastrum nutans</i>	Indiangrass
<i>Spartina pectinata</i>	prairie cordgrass ; santu'hu tan'ka
<i>Spiraea alba</i> var. <i>alba</i>	white meadowsweet
<i>Spiraea tomentosa</i> var. <i>rosea</i>	steeplebush
<i>Sporobolus cryptandrus</i>	sand dropseed
<i>Stachys palustris</i> var. <i>pilosa</i>	woundwort ; marsh hedge-nettle
<i>Symphotrichum ericoides</i>	frost aster ; white heath aster
<i>Symphotrichum lanceolatum</i> var. <i>hesperium</i>	white panicle aster ; eastern lined aster
<i>Symphotrichum oolentangiense</i>	skyblue aster ; azure aster
<i>Thelypteris palustris</i> var. <i>pubescens</i>	eastern marsh fern ; northern marsh fern
<i>Toxicodendron rydbergii</i>	western poison-ivy
<i>Tradescantia occidentalis</i>	prairie spiderwort

Specimen Determination	Common Name
<i>Tragopogon dubius</i>	meadow goat's-beard ; yellow salsify
<i>Trifolium hybridum</i>	alsike clover
<i>Utricularia vulgaris</i>	greater bladderwort ; common bladderwort
<i>Vaccinium angustifolium</i>	late lowbush blueberry
<i>Verbascum thapsus</i>	flannel mullein; great mullein
<i>Veronicastrum virginicum</i>	culver's root
<i>Vicia villosa</i>	winter vetch; hairy vetch
<i>Viola lanceolata</i> var. <i>lanceolata</i>	lance-leaf violet; bog white violet
<i>Viola palmata</i> var. <i>pedatifida</i>	crow's-foot violet; early blue violet
<i>Viola sagittata</i>	arrowhead violet; arrow-leaf violet

Source: J. F. Bell Museum of Natural History Herbarium, Vascular plant collection database