

Hole-in-the-Mountain Prairie

Plant List

Specimen Determination	Common Name
<i>Acer negundo</i>	boxelder ; ash-leaf maple
<i>Agalinis aspera</i>	tall false foxglove ; rough false foxglove
<i>Agalinis tenuifolia</i>	slender-leaf false foxglove ; common false foxglove
<i>Agoseris glauca</i> var. <i>glauca</i>	pale goat-chicory ; pale agoseris
<i>Agrostis gigantea</i>	redtop ; black bent
<i>Agrostis scabra</i>	winter bent ; rough bent
<i>Allium canadense</i> var. <i>canadense</i>	meadow garlic ; wild garlic
<i>Allium stellatum</i>	autumn onion ; prairie onion
<i>Allium tricoccum</i> var. <i>tricoccum</i>	ramp ; wild leek
<i>Amelanchier sanguinea</i> var. <i>sanguinea</i>	round-leaf serviceberry ; low juneberry
<i>Amorpha canescens</i>	leadplant
<i>Amphicarpaea bracteata</i>	American hog-peanut ; omni'ca
<i>Andropogon gerardii</i>	big bluestem
<i>Anemone canadensis</i>	round-leaf thimbleweed ; Canada anemone
<i>Anemone cylindrica</i>	long-head thimbleweed ; candle anemone
<i>Anemone patens</i> var. <i>multifida</i>	American pasque flower ; prairie-smoke
<i>Antennaria neglecta</i>	field pussytoes
<i>Antennaria parvifolia</i>	small-leaf pussytoes ; Plains pussytoes
<i>Anthoxanthum hirtum</i>	vanillagrass ; wacan'ga
<i>Apocynum sibiricum</i>	clasping dogbane ; Indian-hemp
<i>Aristida purpurea</i> var. <i>longiseta</i>	red three-awn ; purple three-awn
<i>Artemisia ludoviciana</i> ssp. <i>ludoviciana</i>	white sagebrush ; western mugwort
<i>Asclepias incarnata</i> var. <i>incarnata</i>	swamp milkweed
<i>Asclepias lanuginosa</i>	side-cluster milkweed
<i>Asclepias ovalifolia</i>	oval-leaf milkweed
<i>Asclepias verticillata</i>	whorled milkweed
<i>Asclepias viridiflora</i>	green comet milkweed
<i>Asparagus officinalis</i>	common asparagus ; garden asparagus
<i>Astragalus adsurgens</i> var. <i>robustior</i>	standing milk-vetch ; prairie milk-vetch
<i>Astragalus agrestis</i>	field milk-vetch ; cock's-head
<i>Astragalus lotiflorus</i>	lotus milk-vetch
<i>Beckmannia syzigachne</i>	American sloughgrass
<i>Bouteloua curtipendula</i>	sideoats gramma ; semiphoregrass
<i>Bouteloua hirsuta</i>	hairy gramma
<i>Calylophus serrulatus</i>	yellow sundrops
<i>Calystegia sepium</i>	hedge false bindweed
<i>Cardamine bulbosa</i>	spring cress ; bulbous bittercress
<i>Carduus nutans</i>	nodding plumeless thistle ; musk thistle
<i>Carex brevior</i>	Plains oval sedge ; shortbeak sedge

Specimen Determination	Common Name
<i>Carex duriuscula</i>	hard sedge ; needleleaf sedge
<i>Carex emoryi</i>	Emory's sedge
<i>Carex filifolia</i>	thread-leaf sedge ; filiform sedge
<i>Carex granularis</i>	limestone meadow sedge
<i>Carex gravida</i>	heavy sedge ; long-awn bracted sedge
<i>Carex inops</i> ssp. <i>heliophila</i>	sun sedge ; long-stolon sedge
<i>Carex praegracilis</i>	freeway sedge ; clustered field sedge
<i>Carex sartwellii</i>	Sartwell's sedge ; running marsh sedge
<i>Carex vulpinoidea</i>	fox sedge ; yellowfruit sedge
<i>Chenopodium berlandieri</i> var. <i>zschackei</i>	pitseed goosefoot ; pigweed
<i>Cicuta maculata</i> var. <i>maculata</i>	spotted water-hemlock
<i>Cirsium arvense</i>	Canada thistle
<i>Comandra umbellata</i> var. <i>umbellata</i>	bastard-toadflax
<i>Convolvulus arvensis</i>	field bindweed
<i>Cuscuta glomerata</i>	rope dodder
<i>Dalea candida</i>	white prairie-clover
<i>Delphinium carolinianum</i> var. <i>virescens</i>	Carolina larkspur
<i>Desmodium canadense</i>	showy tick-trefoil ; Canadian tick-trefoil
<i>Dichanthelium leibergii</i>	Leiberg's panicgrass
<i>Dichanthelium oligosanthes</i> ssp. <i>scribnerianum</i>	few-flowered panicgrass ; Heller's rosettegrass
<i>Dichanthelium wilcoxianum</i>	Wilcox's panicgrass ; fall rosettegrass
<i>Draba reptans</i>	Carolina whitlow-grass ; Carolina draba
<i>Echinacea angustifolia</i>	purple coneflower; blacksamson echinacea
<i>Eleocharis erythropoda</i>	bald spikerush
<i>Equisetum laevigatum</i>	smooth horsetail ; smooth scouring-rush
<i>Erigeron glabellus</i> var. <i>pubescens</i>	streamside fleabane ; daisy fleabane
<i>Erigeron pulchellus</i> var. <i>tolsteadii</i>	robin's-plantain
<i>Eupatorium perfoliatum</i>	common boneset ; purple boneset
<i>Euphorbia glyptosperma</i>	ridge-seed spurge ; rib-seed sandmat
<i>Fragaria vesca</i> var. <i>americana</i>	woodland strawberry
<i>Galium boreale</i>	northern bedstraw
<i>Gaura coccinea</i>	scarlet beeblossom ; scarlet gaura
<i>Geum triflorum</i>	prairie smoke ; old-man's-whiskers
<i>Glechoma hederacea</i>	creeping charlie ; groundivy
<i>Glyceria grandis</i>	American mannagrass ; tall mannagrass
<i>Glyceria striata</i>	waterfowl mannagrass ; fowl mannagrass
<i>Glycyrrhiza lepidota</i>	American licorice
<i>Grindelia squarrosa</i>	curly-cup gumweed ; curly-cap gumweed
<i>Hedeoma hispida</i>	rough false pennyroyal
<i>Helenium autumnale</i>	fall sneezeweed ; common sneezeweed
<i>Helianthus maximiliani</i>	Maximilian's sunflower ; michaelmas-daisy
<i>Hesperostipa comata</i>	needle-and-thread grass
<i>Hesperostipa spartea</i>	porcupinegrass

Specimen Determination	Common Name
<i>Hordeum jubatum</i>	foxtail barley ; squirrel tail
<i>Hypoxis hirsuta</i>	eastern yellow star-grass
<i>Juncus arcticus</i> var. <i>balticus</i>	arctic rush
<i>Juncus nodosus</i>	knotted rush
<i>Juncus tenuis</i>	path rush ; poverty rush
<i>Koeleria macrantha</i>	prairie junegrass ; prairie Koeler's grass
<i>Lathyrus palustris</i>	marsh vetchling
<i>Liatris punctata</i>	dotted blazing star ; dotted gayfeather
<i>Lilium philadelphicum</i>	wood lily
<i>Linum rigidum</i> var. <i>rigidum</i>	stiff-stem yellow flax ; large-flower yellow flax
<i>Linum sulcatum</i>	grooved yellow flax
<i>Lithospermum canescens</i>	hoary puccoon
<i>Lithospermum incisum</i>	narrow-leaf puccoon ; fringed gromwell
<i>Lobelia siphilitica</i>	great blue lobelia
<i>Lobelia spicata</i>	spiked lobelia ; pale-spike lobelia
<i>Lotus purshianus</i>	prairie bird's-foot trefoil ; spanish-clover
<i>Lycopus americanus</i>	cut-leaf water-horehound ; American water-horehound
<i>Lycopus uniflorus</i>	northern water-horehound
<i>Lysimachia ciliata</i>	fringed loosestrife
<i>Maianthemum stellatum</i>	starflower solomon's-seal ; yapi' zapi' hu
<i>Medicago lupulina</i>	black medick
<i>Medicago sativa</i>	alfalfa
<i>Melilotus alba</i>	white sweet-clover
<i>Melilotus officinalis</i>	yellow sweet-clover
<i>Mirabilis nyctaginea</i>	heart-leaf four-o'clock
<i>Monarda fistulosa</i>	mint-leaf beabalm ; wahpe' was'tem'na
<i>Muhlenbergia frondosa</i>	wirestem muhly
<i>Muhlenbergia mexicana</i>	wirestem muhly ; Mexican muhly
<i>Nassella viridula</i>	green needlegrass ; feather bunchgrass
<i>Nothocalais cuspidata</i>	false dandelion ; wavy-leaf prairie-dandelion
<i>Oxalis violacea</i>	violet wood-sorrel
<i>Oxytropis lambertii</i> var. <i>lambertii</i>	stemless locoweed ; purple locoweed
<i>Packera plattensis</i>	prairie groundsel ; Platte River ragwort
<i>Packera pseudoaurea</i> var. <i>semicordata</i>	false-gold groundsel ; western golden ragwort
<i>Pascopyrum smithii</i>	western wheatgrass
<i>Pediomelum argophyllum</i>	silvery scurf-pea ; silver-leaf Indian breadroot
<i>Pediomelum esculentum</i>	shaggy prairie-turnip ; large Indian breadroot
<i>Penstemon gracilis</i>	slender beardtongue ; lilac beardtongue
<i>Phleum pratense</i>	common timothy
<i>Phlox pilosa</i> var. <i>fulgida</i>	downy phlox
<i>Physalis heterophylla</i> var. <i>heterophylla</i>	clammy ground-cherry
<i>Physalis virginiana</i>	Virginia ground-cherry

Specimen Determination	Common Name
<i>Plantago major</i>	common plantain ; great plantain
<i>Poa palustris</i>	meadow bluegrass ; waterfowl meadowgrass
<i>Poa pratensis</i>	Kentucky bluegrass
<i>Potamogeton strictifolius</i>	straight-leaf pondweed ; narrow-leaf pondweed
<i>Potentilla anserina</i>	common silverweed
<i>Potentilla arguta</i>	tall cinquefoil
<i>Prunus virginiana</i>	choke cherry
<i>Ranunculus aquatilis</i> var. <i>diffusus</i>	white water buttercup
<i>Ranunculus fascicularis</i>	early buttercup
<i>Ranunculus flabellaris</i>	greater yellow water buttercup
<i>Ranunculus rhomboideus</i>	Labrador buttercup ; prairie buttercup
<i>Ratibida columnifera</i>	upright prairie coneflower ; red-spike Mexican hat
<i>Ratibida pinnata</i>	pinnate-leaf prairie coneflower ; gray-head Mexican hat
<i>Salvia reflexa</i>	lance-leaf sage ; Rocky Mountain sage
<i>Schedonorus pratensis</i>	meadow fescue ; meadow ryegrass
<i>Schizachyrium scoparium</i> var. <i>scoparium</i>	little bluestem
<i>Scirpus pallidus</i>	pale bulrush ; cloaked bulrush
<i>Scutellaria galericulata</i>	hooded skullcap ; marsh skullcap
<i>Scutellaria lateriflora</i>	mad-dog skullcap
<i>Scutellaria leonardii</i>	little skullcap ; small skullcap
<i>Silphium perfoliatum</i>	cup plant
<i>Silphium perfoliatum</i> var. <i>perfoliatum</i>	cup plant
<i>Sisyrinchium campestre</i>	prairie blue-eyed-grass
<i>Sisyrinchium montanum</i> var. <i>montanum</i>	mountain blue-eyed-grass ; strict blue-eyed-grass
<i>Sisyrinchium mucronatum</i>	needletip blue-eyed-grass
<i>Solidago altissima</i> ssp. <i>gilvocanescens</i>	late goldenrod
<i>Solidago mollis</i>	velvet goldenrod ; soft goldenrod
<i>Sorghastrum nutans</i>	Indiangrass
<i>Spartina pectinata</i>	prairie cordgrass ; santu'hu tan'ka
<i>Sporobolus heterolepis</i>	prairie dropseed ; northern dropseed
<i>Stachys palustris</i> var. <i>pilosa</i>	woundwort ; marsh hedge-nettle
<i>Symphoricarpos occidentalis</i>	wolfberry ; western snowberry
<i>Teucrium canadense</i>	American germander ; wood-sage
<i>Thalictrum dasycarpum</i>	purple meadow-rue ; tall meadow-rue
<i>Tradescantia bracteata</i>	sticky spiderwort ; longbract spiderwort
<i>Trifolium hybridum</i>	alsike clover
<i>Trifolium repens</i>	white clover
<i>Typha latifolia</i>	broad-leaf cattail
<i>Verbena bracteata</i>	carpet vervain ; creeping vervain

Specimen Determination	Common Name
<i>Verbena stricta</i>	hoary vervain
<i>Veronica catenata</i>	blue water speedwell
<i>Vicia americana</i>	American purple vetch
<i>Viola sororia</i>	dooryard violet; hooded blue violet
<i>Zigadenus elegans</i>	mountain death-camas
<i>Zizia aptera</i>	heart-leaf alexanders; meadow alexanders
<i>Zizia aurea</i>	golden alexanders

Source: J. F. Bell Museum of Natural History Herbarium, Vascular plant collection database