

Kellogg-Weaver Dunes SNA
(SNA in part, TNC in part)

Plant List

| Specimen Determination | Common Name |
|--|---|
| <i>Abutilon theophrasti</i> | velvetleaf |
| <i>Acer negundo</i> | boxelder ; ash-leaf maple |
| <i>Acer saccharinum</i> | silver maple ; soft maple |
| <i>Achillea millefolium</i> | common yarrow |
| <i>Agalinis tenuifolia</i> | slender-leaf false foxglove ; common false foxglove |
| <i>Ageratina altissima</i> | white snakeroot |
| <i>Agrimonia striata</i> | woodland groovebur ; roadside arimony |
| <i>Agrostis gigantea</i> | redtop ; black bent |
| <i>Agrostis scabra</i> | winter bent ; rough bent |
| <i>Amaranthus blitoides</i> | mat amaranth ; prostrate pigweed |
| <i>Amaranthus retroflexus</i> | redroot amaranth ; redroot |
| <i>Ambrosia artemisiifolia</i> | common ragweed ; annual ragweed |
| <i>Ambrosia psilostachya</i> | western ragweed ; perennial ragweed |
| <i>Ambrosia trifida</i> | giant ragweed ; great ragweed |
| <i>Amelanchier x intermedia</i> | swamp serviceberry ; intermediate serviceberry |
| <i>Amorpha canescens</i> | leadplant |
| <i>Amorpha fruticosa</i> | false indigo-bush ; false indigo |
| <i>Andropogon gerardii</i> | big bluestem |
| <i>Anemone canadensis</i> | round-leaf thimbleweed ; Canada anemone |
| <i>Anemone cylindrica</i> | long-head thimbleweed ; candle anemone |
| <i>Anemone patens</i> var. <i>multifida</i> | American pasque flower ; prairie-smoke |
| <i>Anemone virginiana</i> var. <i>alba</i> | tall thimbleweed |
| <i>Antennaria neglecta</i> | field pussytoes |
| <i>Antennaria plantaginifolia</i> | woman's-tobacco ; plantain-leaf pussytoes |
| <i>Apocynum androsaemifolium</i> | spreading dogbane |
| <i>Aquilegia canadensis</i> | red columbine |
| <i>Arabidopsis lyrata</i> | sand cress ; harp-leaf rockcress |
| <i>Aristida basiramea</i> | forked three-awn ; fork-tip three-awn |
| <i>Aristida tuberculosa</i> | seaside three-awn ; sea-beach needlegrass |
| <i>Artemisia campestris</i> ssp. <i>caudata</i> | Pacific wormwood ; field sagewort |
| <i>Artemisia ludoviciana</i> ssp. <i>ludoviciana</i> | white sagebrush ; western mugwort |
| <i>Asclepias amplexicaulis</i> | clasping milkweed |
| <i>Asclepias lanuginosa</i> | side-cluster milkweed |
| <i>Asclepias syriaca</i> | common milkweed |
| <i>Asclepias tuberosa</i> ssp. <i>interior</i> | butterfly milkweed ; butterfly plant |
| <i>Asclepias viridiflora</i> | green comet milkweed |
| <i>Asparagus officinalis</i> | common asparagus ; garden asparagus |
| <i>Astragalus canadensis</i> | Canadian milk-vetch |

| Specimen Determination | Common Name |
|---|--|
| <i>Baptisia bracteata</i> var. <i>glabrescens</i> | Plains wild indigo ; long-bract wild indigo |
| <i>Baptisia lactea</i> | white wild indigo ; milky wild indigo |
| <i>Barbarea vulgaris</i> | garden yellow rocket |
| <i>Berteroa incana</i> | hoary-alyssum ; hoary false madwort |
| <i>Betula nigra</i> | river birch |
| <i>Bidens cernua</i> | nodding beggar-ticks ; nodding burr-marigold |
| <i>Boehmeria cylindrica</i> | small-spike false nettle ; bog-hemp |
| <i>Bouteloua curtipendula</i> | sideoats gramma ; semiphoregrass |
| <i>Bouteloua hirsuta</i> | hairy gramma |
| <i>Brickellia eupatorioides</i> var. <i>corymbulosa</i> | false boneset |
| <i>Bromus inermis</i> | smooth brome ; Hungarian brome |
| <i>Bromus tectorum</i> | cheatgrass ; downy chess |
| <i>Calamovilfa longifolia</i> var. <i>longifolia</i> | prairie sand reed ; giant sand reed |
| <i>Callirhoe triangulata</i> | clustered poppymallow |
| <i>Calystegia sepium</i> | hedge false bindweed |
| <i>Campanula rotundifolia</i> | bluebell of Scotland ; harebell |
| <i>Cannabis sativa</i> | marijuana ; hemp |
| <i>Capsella bursa-pastoris</i> | shepherd's-purse |
| <i>Carex brevior</i> | Plains oval sedge ; shortbeak sedge |
| <i>Carex cristatella</i> | crested sedge |
| <i>Carex emoryi</i> | Emory's sedge |
| <i>Carex haydenii</i> | Hayden's sedge ; long-scal tussock sedge |
| <i>Carex inops</i> ssp. <i>heliophila</i> | sun sedge ; long-stolon sedge |
| <i>Carex lacustris</i> | common lake sedge ; hairy sedge |
| <i>Carex lupulina</i> | hop sedge |
| <i>Carex muehlenbergii</i> var. <i>muehlenbergii</i> | Muehlenberg's sedge ; sand bracted sedge |
| <i>Carex pellita</i> | brown-leaf woolly sedge ; woolly sedge |
| <i>Carex siccata</i> | hay sedge ; hillside sedge |
| <i>Carex stipata</i> | common fox sedge ; owl-fruit sedge |
| <i>Carex tribuloides</i> | blunt broom sedge |
| <i>Carex umbellata</i> | early oak sedge ; parasol sedge |
| <i>Carex vesicaria</i> | blister sedge ; tufted lake sedge |
| <i>Carex vulpinoidea</i> | fox sedge ; yellowfruit sedge |
| <i>Carya cordiformis</i> | bitternut hickory ; pignut hickory |
| <i>Ceanothus herbaceus</i> | New Jersey-tea ; prairie redroot |
| <i>Celastrus scandens</i> | American bittersweet ; climbing bittersweet |
| <i>Celtis occidentalis</i> | eastern hackberry ; common hackberry |
| <i>Cenchrus longispinus</i> | mat sandbur |
| <i>Cephalanthus occidentalis</i> | common buttonbush |
| <i>Cerastium fontanum</i> ssp. <i>vulgare</i> | mouse-ear chickweed ; big chickweed |
| <i>Chamaecrista fasciculata</i> | partridge-pea ; prairie senna |
| <i>Comandra umbellata</i> var. <i>umbellata</i> | bastard-toadflax |
| <i>Conyza canadensis</i> | Canadian horseweed |

| Specimen Determination | Common Name |
|--|---|
| <i>Corallorhiza odontorhiza</i> var. <i>odontorhiza</i> | autumn coralroot ; small-flower coralroot |
| <i>Coreopsis palmata</i> | stiff tickseed ; prairie coreopsis |
| <i>Cornus sericea</i> | red-osier dogwood |
| <i>Crepis tectorum</i> | narrow-leaf hawk's-beard |
| <i>Cycloloma atriplicifolium</i> | winged pigweed |
| <i>Cynoglossum officinale</i> | common hound's tongue ; gypsy flower |
| <i>Cyperus schweinitzii</i> | Schweinitz's flatsedge |
| <i>Cyperus strigosus</i> | false nutsedge ; straw-colored flatsedge |
| <i>Dactylis glomerata</i> | orchardgrass ; barnyardgrass |
| <i>Dalea candida</i> | white prairie-clover |
| <i>Dalea purpurea</i> | purple prairie-clover ; violet prairie-clover |
| <i>Dalea villosa</i> var. <i>villosa</i> | silky prairie-clover ; downy prairie-clover |
| <i>Delphinium carolinianum</i> var. <i>virescens</i> | Carolina larkspur |
| <i>Dichanthelium ovale</i> ssp. <i>villosissimum</i> | stiff-leaf panicgrass |
| <i>Digitaria cognata</i> | fall witchgrass |
| <i>Digitaria sanguinalis</i> | hairy crabgrass ; northern crabgrass |
| <i>Echinochloa muricata</i> var. <i>muricata</i> | American barnyardgrass |
| <i>Echinocystis lobata</i> | wild cucumber ; balsam-apple |
| <i>Elymus canadensis</i> var. <i>canadensis</i> | Canada wild rye ; pteya' hota |
| <i>Elymus repens</i> | quackgrass |
| <i>Equisetum laevigatum</i> | smooth horsetail ; smooth scouring-rush |
| <i>Equisetum x ferrissii</i> | Ferriss' scouring-rush ; scouring-rush hybrid |
| <i>Eragrostis spectabilis</i> | purple lovegrass ; tumblegrass |
| <i>Erigeron strigosus</i> | prairie fleabane ; rough fleabane |
| <i>Erysimum cheiranthoides</i> | worm-seed mustard ; worm-seed wallflower |
| <i>Eupatorium perfoliatum</i> | common boneset ; purple boneset |
| <i>Euphorbia corollata</i> var. <i>corollata</i> | flowering spurge |
| <i>Euphorbia geyeri</i> | Geyer's sandmat |
| <i>Fragaria vesca</i> var. <i>americana</i> | woodland strawberry |
| <i>Fragaria virginiana</i> | Virginia strawberry |
| <i>Fraxinus pennsylvanica</i> | green ash ; red ash |
| <i>Froelichia floridana</i> | plains snake-cotton ; prairie cotton |
| <i>Galium aparine</i> | cleavers ; sticky-willy |
| <i>Galium concinnum</i> | shining bedstraw |
| <i>Gentianella quinquefolia</i> var. <i>occidentalis</i> | stiff gentian ; agueweed |
| <i>Geum triflorum</i> | prairie smoke ; old-man's-whiskers |
| <i>Glyceria grandis</i> | American mannagrass ; tall mannagrass |
| <i>Grindelia hirsutula</i> | hairy gumweed |
| <i>Hedeoma hispida</i> | rough false pennyroyal |
| <i>Hedyotis longifolia</i> | long-leaf summer bluet ; eyebright |
| <i>Helenium autumnale</i> | fall sneezeweed ; common sneezeweed |
| <i>Helianthemum canadense</i> | common frostweed ; long-branch frostweed |
| <i>Helianthus pauciflorus</i> ssp. <i>pauciflorus</i> | stiff sunflower ; prairie sunflower |

| Specimen Determination | Common Name |
|---|--|
| <i>Heliopsis helianthoides</i> var. <i>scabra</i> | sunflower-everlasting ; smooth ox-eye |
| <i>Hesperostipa spartea</i> | porcupinegrass |
| <i>Heuchera richardsonii</i> | prairie alumroot ; Richardson's alumroot |
| <i>Hieracium longipilum</i> | hairy hawkweed ; long-hair hawkweed |
| <i>Hordeum jubatum</i> | foxtail barley ; squirrel tail |
| <i>Hudsonia tomentosa</i> | woolly beach-heather ; sand golden-heather |
| <i>Impatiens capensis</i> | spotted jewelweed ; spotted touch-me-not |
| <i>Iris versicolor</i> | northern blue flag ; harlequin blue iris |
| <i>Juglans nigra</i> | black walnut |
| <i>Juniperus virginiana</i> var. <i>virginiana</i> | eastern red-cedar |
| <i>Koeleria macrantha</i> | prairie junegrass ; prairie Koeler's grass |
| <i>Lappula squarrosa</i> | two-row stickseed ; bristly sheep-burr |
| <i>Lemna turionifera</i> | turion duckweed |
| <i>Leonurus cardiaca</i> | motherwort |
| <i>Lepidium densiflorum</i> | prairie pepper-grass ; miner's pepperwort |
| <i>Lepidium virginicum</i> | poor-man's pepper-grass ; Virginia pepperwort |
| <i>Lespedeza capitata</i> | round-head bush-clover |
| <i>Liatris aspera</i> | rough blazing star ; tall gayfeather |
| <i>Linaria canadensis</i> | old-field toadflax ; blue toadflax |
| <i>Linaria vulgaris</i> | greater butter-and-eggs |
| <i>Linum sulcatum</i> | grooved yellow flax |
| <i>Lithospermum carolinense</i> var. <i>croceum</i> | hairy puccoon ; Carolina puccoon |
| <i>Lobelia cardinalis</i> var. <i>cardinalis</i> | cardinal flower |
| <i>Lobelia spicata</i> | spiked lobelia ; pale-spike lobelia |
| <i>Lonicera x bella</i> | belle honeysuckle |
| <i>Lycopus uniflorus</i> | northern water-horehound |
| <i>Lysimachia ciliata</i> | fringed loosestrife |
| <i>Lysimachia hybrida</i> | lowland loosestrife ; Mississippi Valley loosestrife |
| <i>Maianthemum stellatum</i> | starflower solomon's-seal ; yapi' zapi' hu |
| <i>Malva neglecta</i> | cheeses ; dwarf mallow |
| <i>Matricaria discoidea</i> | pineapple weed ; disc mayweed |
| <i>Medicago lupulina</i> | black medick |
| <i>Medicago sativa</i> | alfalfa |
| <i>Melilotus officinalis</i> | yellow sweet-clover |
| <i>Mirabilis albida</i> | hairy four-o'clock ; hairy umbrellawort |
| <i>Mirabilis nyctaginea</i> | heart-leaf four-o'clock |
| <i>Mollugo verticillata</i> | carpet weed ; Indian-chickweed |
| <i>Monarda fistulosa</i> | mint-leaf beabalm ; wahpe' was'tem'na |
| <i>Monarda punctata</i> var. <i>villicaulis</i> | spotted beabalm ; spotted horsemint |
| <i>Morus alba</i> | white mulberry ; Russian mulberry |
| <i>Muhlenbergia racemosa</i> | satingrass ; marsh muhly |
| <i>Myosotis scorpioides</i> | true forget-me-not ; water scorpion-grass |

| Specimen Determination | Common Name |
|--|--|
| <i>Myosoton aquaticum</i> | giant chickweed ; water chickweed |
| <i>Nepeta cataria</i> | catnip |
| <i>Oenothera biennis</i> var. <i>biennis</i> | common evening-primrose ; king's cure-all |
| <i>Oenothera parviflora</i> var. <i>parviflora</i> | northern evening-primrose ; small-flower evening-primrose |
| <i>Oenothera rhombipetala</i> | rhombic evening-primrose ; greater four-point evening-primrose |
| <i>Onoclea sensibilis</i> | sensitive fern |
| <i>Oxalis dillenii</i> | tufted yellow wood-sorrel ; upright yellow wood-sorrel |
| <i>Panicum virgatum</i> | switchgrass |
| <i>Parthenocissus vitacea</i> | grape woodbine ; thicket creeper |
| <i>Paspalum setaceum</i> var. <i>muhlenbergii</i> | beadgrass ; fringeleaf paspalum |
| <i>Persicaria pensylvanica</i> | pinkweed ; Pennsylvania smartweed |
| <i>Persicaria punctata</i> | dotted smartweed ; water knotweed |
| <i>Persicaria sagittata</i> | arrowleaf tearthumb |
| <i>Phalaris arundinacea</i> | reed canarygrass |
| <i>Phemeranthus rugospermus</i> | sand fameflower ; rough-seed fameflower |
| <i>Phleum pratense</i> | common timothy |
| <i>Phyla lanceolata</i> | northern fogfruit |
| <i>Physalis virginiana</i> | Virginia ground-cherry |
| <i>Physostegia virginiana</i> var. <i>virginiana</i> | common obedient plant ; false dragonhead |
| <i>Picea glauca</i> | white spruce |
| <i>Pinus banksiana</i> | jack pine |
| <i>Pinus resinosa</i> | red pine ; Norway pine |
| <i>Plantago patagonica</i> var. <i>patagonica</i> | woolly plantain |
| <i>Plantago rugelii</i> | black-seed plantain ; American plantain |
| <i>Poa compressa</i> | Canada bluegrass ; flat-stem bluegrass |
| <i>Polanisia dodecandra</i> ssp. <i>dodecandra</i> | red-whisker clammyweed ; sandy-seed clammyweed |
| <i>Polygala polygama</i> var. <i>obtusata</i> | racemed milkwort ; bitter milkwort |
| <i>Polygonatum biflorum</i> | king solomon's seal ; giant solomon's seal |
| <i>Polygonella articulata</i> | coastal jointweed |
| <i>Polygonum aviculare</i> ssp. <i>buxiforme</i> | oval-leaf knotweed ; dooryard knotweed |
| <i>Polygonum tenue</i> | pleated knotweed ; pleat-leaf knotweed |
| <i>Populus tremuloides</i> | trembling aspen ; quaking aspen |
| <i>Portulaca oleracea</i> | common purslane ; little hogweed |
| <i>Potentilla argentea</i> | silvery cinquefoil ; silver-leaf cinquefoil |
| <i>Potentilla arguta</i> | tall cinquefoil |
| <i>Potentilla simplex</i> | old-field cinquefoil ; common cinquefoil |
| <i>Prunella vulgaris</i> | common selfheal ; heal-all |
| <i>Prunus americana</i> | wild plum ; American plum |
| <i>Prunus pumila</i> | Great Lakes sand cherry |

| Specimen Determination | Common Name |
|--|--|
| <i>Prunus virginiana</i> | choke cherry |
| <i>Pseudognaphalium obtusifolium</i> | sweet everlasting ; fragrant cudweed |
| <i>Pycnanthemum virginianum</i> | Virginia mountain mint |
| <i>Pyrola elliptica</i> | wax-flower shinleaf |
| <i>Quercus ellipsoidalis</i> | northern pin oak ; Hill's oak |
| <i>Quercus velutina</i> | black oak |
| <i>Ranunculus abortivus</i> | kidney-leaf buttercup ; aborted buttercup |
| <i>Ranunculus hispidus</i> | bristly buttercup ; swamp buttercup |
| <i>Ranunculus rhomboideus</i> | Labrador buttercup ; prairie buttercup |
| <i>Ranunculus sceleratus</i> | cursed buttercup |
| <i>Rhus glabra</i> | smooth sumac ; canzi' |
| <i>Ribes missouriense</i> | Missouri gooseberry |
| <i>Rosa blanda</i> | smooth rose ; Labrador rose |
| <i>Rubus</i> | |
| <i>Rubus allegheniensis</i> | Allegheny blackberry ; common blackberry |
| <i>Rubus occidentalis</i> | black raspberry |
| <i>Rudbeckia hirta</i> var. <i>pulcherrima</i> | black-eyed-susan |
| <i>Rumex acetosella</i> | common sheep sorrel ; red sorrel |
| <i>Salix eriocephala</i> x <i>famelica</i> | |
| <i>Salix interior</i> | sandbar willow |
| <i>Salix nigra</i> | black willow |
| <i>Salsola collina</i> | slender Russian-thistle ; salsola tumbleweed |
| <i>Sambucus canadensis</i> | black elderberry ; common elder |
| <i>Saponaria officinalis</i> | soapwort ; bouncing bet |
| <i>Schizachyrium scoparium</i> var. <i>scoparium</i> | little bluestem |
| <i>Scirpus cyperinus</i> | wool-grass ; cotton-grass bulrush |
| <i>Scleranthus annuus</i> | knawel ; German knot-grass |
| <i>Scrophularia lanceolata</i> | lance-leaf figwort |
| <i>Scutellaria lateriflora</i> | mad-dog skullcap |
| <i>Scutellaria leonardii</i> | little skullcap ; small skullcap |
| <i>Setaria faberi</i> | giant foxtail ; Chinese foxtail |
| <i>Setaria pumila</i> | yellow foxtail ; pearl millet |
| <i>Silene antirrhina</i> | sleepy catchfly ; sleepy silene |
| <i>Silene csereii</i> | Balkan catchfly |
| <i>Silene latifolia</i> | white campion ; bladder campion |
| <i>Sisymbrium altissimum</i> | tumbling mustard ; tall hedge mustard |
| <i>Sisyrinchium campestre</i> | prairie blue-eyed-grass |
| <i>Smilax illinoensis</i> | Illinois greenbrier |
| <i>Smilax tamnoides</i> | bristly greenbrier ; chinaroot |
| <i>Solanum rostratum</i> | buffalo-bur ; horned nightshade |
| <i>Solidago missouriensis</i> | Missouri goldenrod |
| <i>Solidago sciaphila</i> | cliff goldenrod ; shadowy goldenrod |
| <i>Sorghastrum nutans</i> | Indiangrass |

| Specimen Determination | Common Name |
|--|--|
| <i>Sphenopholis obtusata</i> | prairie wedgescale ; wedgegrass |
| <i>Spiraea alba</i> var. <i>alba</i> | white meadowsweet |
| <i>Sporobolus cryptandrus</i> | sand dropseed |
| <i>Strophostyles helvola</i> | trailing fuzzybean ; trailing wild bean |
| <i>Symphyotrichum ericoides</i> | frost aster ; white heath aster |
| <i>Symphyotrichum ontarionis</i> | bottomland aster ; Ontario aster |
| <i>Symphyotrichum oolentangiense</i> | skyblue aster ; azure aster |
| <i>Symphyotrichum sericeum</i> | western silky aster ; western silver aster |
| <i>Tephrosia virginiana</i> | goat's-rue ; hoary-pea |
| <i>Teucrium canadense</i> var. <i>virginicum</i> | American germander ; wood-sage |
| <i>Thelypteris palustris</i> var. <i>pubescens</i> | eastern marsh fern ; northern marsh fern |
| <i>Tilia americana</i> | American basswood |
| <i>Toxicodendron rydbergii</i> | western poison-ivy |
| <i>Tradescantia occidentalis</i> | prairie spiderwort |
| <i>Tradescantia ohiensis</i> | smooth spiderwort ; bluejacket |
| <i>Tragopogon dubius</i> | meadow goat's-beard ; yellow salsify |
| <i>Triadenum fraseri</i> | Fraser's marsh St. John's-wort ; bog St. John's-wort |
| <i>Trifolium pratense</i> | red clover |
| <i>Trifolium repens</i> | white clover |
| <i>Triodanis perfoliata</i> | round-leaf Venus' looking-glass; clasping Venus' looking-glass |
| <i>Typha latifolia</i> | broad-leaf cattail |
| <i>Ulmus americana</i> | American elm |
| <i>Urtica dioica</i> ssp. <i>gracilis</i> | stinging nettle |
| <i>Verbascum thapsus</i> | flannel mullein; great mullein |
| <i>Verbena bracteata</i> | carpet vervain; creeping vervain |
| <i>Verbena stricta</i> | hoary vervain |
| <i>Vernonia fasciculata</i> | prairie ironweed |
| <i>Viburnum lentago</i> | nannyberry |
| <i>Vicia villosa</i> | winter vetch; hairy vetch |
| <i>Viola palmata</i> var. <i>pedatifida</i> | crow's-foot violet; early blue violet |
| <i>Viola pedata</i> | bird's-foot violet |
| <i>Viola sororia</i> | dooryard violet; hooded blue violet |
| <i>Vitis riparia</i> | frost grape; riverbank grape |
| <i>Vulpia octoflora</i> var. <i>glauca</i> | six-weeks fescue; eight-flower six-weeks fescue |
| <i>Xanthium strumarium</i> | rough cocklebur; common cocklebur |
| <i>Zanthoxylum americanum</i> | northern prickly-ash; toothache tree |

Source: J. F. Bell Museum of Natural History Herbarium, Vascular plant collection database