

Margherita Preserve-Audubon Prairie

Plant List

| Herbarium Scientific Name | Minnesota DNR Common Name | Status |
|--|-----------------------------|-----------------|
| <i>Agoseris glauca</i> var. <i>glauca</i> | glaucous false dandelion | |
| <i>Agrostis gigantea</i> | redtop | |
| <i>Agrostis</i> sp. | bentgrass | |
| <i>Agrostis stolonifera</i> | spreading bentgrass | |
| <i>Alisma triviale</i> | common water plantain | |
| <i>Allium stellatum</i> | prairie wild onion | |
| <i>Alopecurus carolinianus</i> | Carolina foxtail | |
| <i>Andropogon gerardii</i> | big bluestem | |
| <i>Anemone canadensis</i> | canada anemone | |
| <i>Anthoxanthum hirtum</i> | sweet grass | |
| <i>Apocynum sibiricum</i> | clasping dogbane | |
| <i>Asclepias incarnata</i> | swamp milkweed | |
| <i>Asclepias incarnata</i> subsp. <i>incarnata</i> | swamp milkweed | |
| <i>Asclepias incarnata</i> var. <i>incarnata</i> | swamp milkweed | |
| <i>Asclepias speciosa</i> | showy milkweed | |
| <i>Astragalus canadensis</i> var. <i>canadensis</i> | Canada milk-vetch | |
| <i>Avena sativa</i> | cultivated oats | |
| <i>Betula pumila</i> | bog birch | |
| <i>Bromus inermis</i> | smooth brome | |
| <i>Bromus kalmii</i> | Kalm's brome | |
| <i>Calamagrostis canadensis</i> | bluejoint | |
| <i>Calamagrostis</i> sp. | reedgrass | |
| <i>Calamagrostis stricta</i> subsp. <i>inexpansa</i> | northern reed grass | |
| <i>Campanula aparinoides</i> | marsh bellflower | |
| <i>Campanula rotundifolia</i> | harebell | |
| <i>Carex aquatilis</i> | aquatic sedge | |
| <i>Carex buxbaumii</i> | Buxbaum's sedge | |
| <i>Carex crawei</i> | Crawe's sedge | |
| <i>Carex leptalea</i> | bristle-stalked sedge | |
| <i>Carex pellita</i> | woolly sedge | |
| <i>Carex praegracilis</i> | very slender sedge | |
| <i>Carex prairea</i> | prairie sedge | |
| <i>Carex sartwellii</i> | Sartwell's sedge | |
| <i>Carex scirpoidea</i> subsp. <i>scirpoidea</i> | northern single-spike sedge | Special Concern |
| <i>Carex tetanica</i> | rigid sedge | |
| <i>Castilleja coccinea</i> | Indian paintbrush | |
| <i>Cicuta bulbifera</i> | bulb-bearing water hemlock | |
| <i>Cicuta maculata</i> | spotted water hemlock | |
| <i>Cicuta maculata</i> var. <i>maculata</i> | spotted water hemlock | |
| <i>Cirsium arvense</i> | Canada thistle | |
| <i>Cirsium flodmanii</i> | Flodman's thistle | |
| <i>Comandra umbellata</i> | bastard toadflax | |
| <i>Comandra umbellata</i> var. <i>umbellata</i> | bastard toadflax | |
| <i>Cornus sericea</i> | red-osier dogwood | |
| <i>Cornus sericea</i> subsp. <i>sericea</i> | red-osier dogwood | |
| <i>Crepis runcinata</i> subsp. <i>runcinata</i> | incised hawk's beard | |

Margherita Preserve-Audubon Prairie

Plant List

| Herbarium Scientific Name | Minnesota DNR Common Name | Status |
|---|------------------------------|-----------------|
| <i>Cypripedium candidum</i> | small white lady's slipper | Special Concern |
| <i>Dalea purpurea</i> | purple prairie clover | |
| <i>Dalea purpurea</i> var. <i>purpurea</i> | purple prairie clover | |
| <i>Deschampsia cespitosa</i> subsp. <i>cespitosa</i> | tufted hair grass | |
| <i>Dichanthelium acuminatum</i> | hairy panic grass | |
| <i>Eleocharis compressa</i> | flattened spikerush | |
| <i>Eleocharis</i> sp. | spikerush | |
| <i>Elymus canadensis</i> | nodding wild rye | |
| <i>Elymus repens</i> | quackgrass | |
| <i>Elymus trachycaulus</i> | slender wheatgrass | |
| <i>Elymus trachycaulus</i> subsp. <i>subsecundus</i> | unilateral wheatgrass | |
| <i>Epilobium leptophyllum</i> | linear-leaved willow herb | |
| <i>Equisetum arvense</i> | field horsetail | |
| <i>Equisetum hyemale</i> subsp. <i>affine</i> | tall scouring rush | |
| <i>Equisetum laevigatum</i> | smooth scouring rush | |
| <i>Erigeron glabellus</i> var. <i>pubescens</i> | smooth fleabane | |
| <i>Erigeron strigosus</i> | daisy fleabane | |
| <i>Eriophorum angustifolium</i> subsp. <i>angustifolium</i> | tall cottongrass | |
| <i>Euphorbia esula</i> | leafy spurge | |
| <i>Euthamia graminifolia</i> | grass-leaved goldenrod | |
| <i>Eutrochium maculatum</i> | spotted Joe pye weed | |
| <i>Eutrochium maculatum</i> var. <i>bruneri</i> | spotted Joe pye weed | |
| <i>Galium boreale</i> | northern bedstraw | |
| <i>Gentiana andrewsii</i> | bottle gentian | |
| <i>Gentiana andrewsii</i> var. <i>dakotica</i> | bottle gentian | |
| <i>Gentianopsis virgata</i> | lesser fringed gentian | |
| <i>Glyceria striata</i> | fowl manna grass | |
| <i>Helenium autumnale</i> | autumn sneezeweed | |
| <i>Helianthus giganteus</i> | giant sunflower | |
| <i>Helianthus maximiliani</i> | Maximilian's sunflower | |
| <i>Helianthus pauciflorus</i> subsp. <i>pauciflorus</i> | stiff sunflower | |
| <i>Helianthus</i> sp. | sunflower | |
| <i>Hesperostipa spartea</i> | porcupine grass | |
| <i>Hordeum jubatum</i> subsp. <i>jubatum</i> | foxtail barley | |
| <i>Hypoxis hirsuta</i> | yellow star-grass | |
| <i>Juncus arcticus</i> var. <i>balticus</i> | baltic rush | |
| <i>Juncus dudleyi</i> | Dudley's rush | |
| <i>Juncus torreyi</i> | Torrey's rush | |
| <i>Koeleria macrantha</i> | junegrass | |
| <i>Lathyrus palustris</i> | marsh vetchling | |
| <i>Lemna</i> sp. | duckweed | |
| <i>Liatris ligulistylis</i> | northern plains blazing star | |
| <i>Liatris pycnostachya</i> var. <i>pycnostachya</i> | great blazing star | |
| <i>Lilium philadelphicum</i> | wood lily | |
| <i>Lithospermum canescens</i> | hoary puccoon | |
| <i>Lobelia kalmii</i> | Kalm's lobelia | |

Margherita Preserve-Audubon Prairie

Plant List

| Herbarium Scientific Name | Minnesota DNR Common Name | Status |
|--|--------------------------------|--------|
| <i>Lobelia spicata</i> | pale-spiked lobelia | |
| <i>Lycopus americanus</i> | cut-leaved bugleweed | |
| <i>Lycopus asper</i> | rough bugleweed | |
| <i>Lycopus uniflorus</i> | northern bugleweed | |
| <i>Lysimachia quadriflora</i> | prairie loosestrife | |
| <i>Lysimachia thyriflora</i> | tufted loosestrife | |
| <i>Melilotus alba</i> | white sweet clover | |
| <i>Mentha arvensis</i> var. <i>canadensis</i> | common mint | |
| <i>Muhlenbergia asperifolia</i> | scratchgrass | |
| <i>Muhlenbergia glomerata</i> | clustered muhly grass | |
| <i>Muhlenbergia richardsonis</i> | mat muhly grass | |
| <i>Packera paupercula</i> | balsam ragwort | |
| <i>Packera pseud aurea</i> var. <i>semicordata</i> | western heart-leaved groundsel | |
| <i>Panicum virgatum</i> | switchgrass | |
| <i>Pedicularis canadensis</i> | wood betony | |
| <i>Pedicularis lanceolata</i> | swamp lousewort | |
| <i>Persicaria amphibia</i> | water smartweed | |
| <i>Phalaris arundinacea</i> | reed canary grass | |
| <i>Poa compressa</i> | Canada bluegrass | |
| <i>Poa palustris</i> | fowl bluegrass | |
| <i>Poa pratensis</i> | Kentucky bluegrass | |
| <i>Populus deltoides</i> subsp. <i>monilifera</i> | cottonwood | |
| <i>Populus tremuloides</i> | quaking aspen | |
| <i>Potentilla anserina</i> | silverweed | |
| <i>Potentilla anserina</i> subsp. <i>anserina</i> | silverweed | |
| <i>Prenanthes alba</i> | white rattlesnakeroot | |
| <i>Pycnanthemum virginianum</i> | Virginia mountain mint | |
| <i>Rosa arkansana</i> | prairie rose | |
| <i>Rudbeckia hirta</i> var. <i>pulcherrima</i> | black-eyed susan | |
| <i>Rumex longifolius</i> | domestic dock | |
| <i>Rumex pseudonatronatus</i> | field dock | |
| <i>Salix candida</i> | sage-leaved willow | |
| <i>Salix discolor</i> | pussy willow | |
| <i>Salix interior</i> | sandbar willow | |
| <i>Salix petiolaris</i> | slender willow | |
| <i>Salix serissima</i> | autumn willow | |
| <i>Salix</i> sp. | willow | |
| <i>Schizachyrium scoparium</i> var. <i>scoparium</i> | little bluestem | |
| <i>Schoenoplectus acutus</i> var. <i>acutus</i> | hardstem bulrush | |
| <i>Scirpus pallidus</i> | pale bulrush | |
| <i>Sisyrinchium mucronatum</i> | pointed-petal blue-eyed grass | |
| <i>Solidago altissima</i> subsp. <i>gilvocanescens</i> | late goldenrod | |
| <i>Solidago gigantea</i> | giant goldenrod | |
| <i>Solidago nemoralis</i> | gray goldenrod | |
| <i>Solidago nemoralis</i> subsp. <i>nemoralis</i> | gray goldenrod | |
| <i>Solidago ptarmicoides</i> | upland white aster | |

Margherita Preserve-Audubon Prairie

Plant List

| Herbarium Scientific Name | Minnesota DNR Common Name | Status |
|--|---------------------------|--------|
| <i>Solidago riddellii</i> | Riddell's goldenrod | |
| <i>Solidago rigida</i> | stiff goldenrod | |
| <i>Solidago rigida subsp. rigida</i> | stiff goldenrod | |
| <i>Solidago sp.</i> | goldenrod | |
| <i>Sonchus arvensis</i> | field sow thistle | |
| <i>Sonchus arvensis subsp. uliginosus</i> | field sow thistle | |
| <i>Sorghastrum nutans</i> | Indian grass | |
| <i>Spartina pectinata</i> | prairie cordgrass | |
| <i>Sphenopholis obtusata</i> | prairie wedge grass | |
| <i>Sphenopholis sp.</i> | wedge grass | |
| <i>Spiraea alba</i> | white meadowsweet | |
| <i>Sporobolus heterolepis</i> | prairie dropseed | |
| <i>Symphyotrichum boreale</i> | bog aster | |
| <i>Symphyotrichum ericoides</i> | heath aster | |
| <i>Symphyotrichum lanceolatum</i> | panicled aster | |
| <i>Symphyotrichum lanceolatum var. lanceolatum</i> | eastern panicled aster | |
| <i>Taraxacum officinale</i> | common dandelion | |
| <i>Thalictrum dasycarpum</i> | tall meadow-rue | |
| <i>Thalictrum dioicum</i> | early meadow-rue | |
| <i>Triglochin maritima</i> | seaside arrowgrass | |
| <i>Triglochin palustris</i> | marsh arrowgrass | |
| <i>Typha latifolia</i> | broad-leaved cattail | |
| <i>Vernonia fasciculata</i> | bunched ironweed | |
| <i>Viola nephrophylla</i> | northern bog violet | |
| <i>Viola sp.</i> | violet | |
| <i>Zigadenus elegans</i> | white camas | |
| <i>Zizia aptera</i> | heart-leaved alexanders | |
| <i>Zizia aurea</i> | golden alexanders | |

Source: Minnesota Biodiversity Atlas: Bell Museum bryophytes (MIN-Bryophytes); Bell Museum plants (MIN-Plants); Minnesota Biological Survey vegetation relevés; and Minnesota Pollution Control Agency wetland plants (MPCA); Retrieved 02/20/2022