

## Pankratz Memorial Prairie

### Plant List

Specimen Determination	Common Name
<i>Acer negundo</i>	boxelder ; ash-leaf maple
<i>Achillea millefolium</i>	common yarrow
<i>Agastache foeniculum</i>	blue giant-hyssop ; fragrant giant-hyssop
<i>Agoseris glauca</i> var. <i>glauca</i>	pale goat-chicory ; pale agoseris
<i>Agrostis gigantea</i>	redtop ; black bent
<i>Agrostis scabra</i>	winter bent ; rough bent
<i>Allium stellatum</i>	autumn onion ; prairie onion
<i>Allium textile</i>	textile onion ; white wild onion
<i>Ambrosia psilostachya</i>	western ragweed ; perennial ragweed
<i>Ambrosia trifida</i>	giant ragweed ; great ragweed
<i>Amorpha canescens</i>	leadplant
<i>Amorpha nana</i>	fragrant indigo-bush ; smooth leadplant
<i>Andropogon gerardii</i>	big bluestem
<i>Anemone canadensis</i>	round-leaf thimbleweed ; Canada anemone
<i>Anemone cylindrica</i>	long-head thimbleweed ; candle anemone
<i>Anemone patens</i> var. <i>multifida</i>	American pasque flower ; prairie-smoke
<i>Anthoxanthum hirtum</i>	vanillagrass ; wacan'ga
<i>Apocynum sibiricum</i>	clasping dogbane ; Indian-hemp
<i>Arabis pycnocarpa</i> var. <i>pycnocarpa</i>	hairy rockcross
<i>Artemisia campestris</i> ssp. <i>caudata</i>	Pacific wormwood ; field sagewort
<i>Artemisia frigida</i>	prairie sagebrush ; fringed sagebrush
<i>Artemisia ludoviciana</i> ssp. <i>ludoviciana</i>	white sagebrush ; western mugwort
<i>Asclepias incarnata</i> var. <i>incarnata</i>	swamp milkweed
<i>Asclepias ovalifolia</i>	oval-leaf milkweed
<i>Asclepias speciosa</i>	showy milkweed
<i>Asclepias syriaca</i>	common milkweed
<i>Asclepias verticillata</i>	whorled milkweed
<i>Astragalus adsurgens</i> var. <i>robustior</i>	standing milk-vetch ; prairie milk-vetch
<i>Astragalus agrestis</i>	field milk-vetch ; cock's-head
<i>Astragalus canadensis</i>	Canadian milk-vetch
<i>Astragalus crassicaarpus</i> var. <i>crassicaarpus</i>	ground-plum ; prairie-plum
<i>Betula pumila</i>	bog birch
<i>Bouteloua curtipendula</i>	sideoats gramma ; semiphoregrass
<i>Bouteloua gracilis</i>	blue gramma ; peji' oki'jata
<i>Bromus ciliatus</i>	fringed brome
<i>Bromus inermis</i>	smooth brome ; Hungarian brome
<i>Bromus kalmii</i>	Kalm's brome
<i>Calamagrostis stricta</i>	northern reedgrass ; slim bluejoint
<i>Calamagrostis stricta</i> ssp. <i>inexpansa</i>	northern reedgrass ; slim bluejoint
<i>Caltha palustris</i>	yellow marsh-marigold ; cow slip

Specimen Determination	Common Name
<i>Calylophus serrulatus</i>	yellow sundrops
<i>Calystegia sepium</i>	hedge false bindweed
<i>Campanula rotundifolia</i>	bluebell of Scotland ; harebell
<i>Carex aquatilis</i> var. <i>substricta</i>	water sedge ; long-bract tussock sedge
<i>Carex brevior</i>	Plains oval sedge ; shortbeak sedge
<i>Carex buxbaumii</i>	Buxbaum's sedge
<i>Carex crawei</i>	Crawe's sedge ; early fen sedge
<i>Carex hallii</i>	Hall's sedge ; deer sedge
<i>Carex interior</i>	inland sedge ; inland star sedge
<i>Carex limosa</i>	mud sedge ; muck sedge
<i>Carex praegracilis</i>	freeway sedge ; clustered field sedge
<i>Carex prairiea</i>	prairie sedge
<i>Carex scirpoidea</i>	northern single-spike sedge
<i>Carex viridula</i>	little green sedge ; green yellow sedge
<i>Castilleja coccinea</i>	scarlet Indian paintbrush ; painted cup
<i>Castilleja sessiliflora</i>	downy Indian paintbrush ; Great Plains Indian paintbrush
<i>Cerastium arvense</i>	field chickweed ; starry grasswort
<i>Chamaerhodos erecta</i>	little rose
<i>Cicuta maculata</i> var. <i>maculata</i>	spotted water-hemlock
<i>Cirsium arvense</i>	Canada thistle
<i>Cirsium flodmanii</i>	Flodman's thistle ; prairie thistle
<i>Comandra umbellata</i> var. <i>umbellata</i>	bastard-toadflax
<i>Cornus sericea</i>	red-osier dogwood
<i>Cypripedium candidum</i>	small white lady-slipper
<i>Cypripedium parviflorum</i> var. <i>pubescens</i>	yellow lady-slipper ; lesser yellow lady-slipper
<i>Dalea candida</i>	white prairie-clover
<i>Dalea purpurea</i>	purple prairie-clover ; violet prairie-clover
<i>Delphinium carolinianum</i> var. <i>virescens</i>	Carolina larkspur
<i>Deschampsia cespitosa</i>	common hairgrass ; tufted hairgrass
<i>Dichanthelium leibergii</i>	Leiberg's panicgrass
<i>Doellingeria umbellata</i>	parasol whitetop ; tall flat-top aster
<i>Doellingeria umbellata</i> var. <i>pubens</i>	parasol whitetop ; tall flat-top aster
<i>Elaeagnus commutata</i>	American silverberry
<i>Eleocharis erythropoda</i>	bald spikerush
<i>Elymus canadensis</i> var. <i>canadensis</i>	Canada wild rye ; pteya' hota
<i>Elymus trachycaulus</i>	slender wild rye ; slender wheatgrass
<i>Elymus trachycaulus</i> ssp. <i>subsecundus</i>	slender wild rye ; slender wheatgrass
<i>Epilobium ciliatum</i> ssp. <i>ciliatum</i>	fringed willowherb ; American willowherb
<i>Epilobium leptophyllum</i>	bog willowherb ; narrow-leaf willowherb
<i>Erigeron glabellus</i> var. <i>pubescens</i>	streamside fleabane ; daisy fleabane
<i>Erigeron strigosus</i>	prairie fleabane ; rough fleabane
<i>Erigeron strigosus</i> var. <i>strigosus</i>	prairie fleabane ; rough fleabane

Specimen Determination	Common Name
<i>Eriophorum angustifolium</i>	thin-scale cotton-grass ; tall cotton-grass
<i>Erucastrum gallicum</i>	dog mustard
<i>Erysimum cheiranthoides</i>	worm-seed mustard ; worm-seed wallflower
<i>Euthamia graminifolia</i>	grass-leaf goldenrod ; flat-top goldentop
<i>Eutrochium maculatum</i> var. <i>bruneri</i>	spotted joe-pye-weed
<i>Fragaria virginiana</i>	Virginia strawberry
<i>Gaillardia aristata</i>	great blanket flower ; great gaillardia
<i>Galium boreale</i>	northern bedstraw
<i>Galium triflorum</i>	fragrant bedstraw ; sweet-scented bedstraw
<i>Gentiana affinis</i>	northern gentian ; pleated gentian
<i>Gentiana andrewsii</i>	closed bottle gentian ; closed gentian
<i>Gentiana andrewsii</i> var. <i>andrewsii</i>	closed bottle gentian ; closed gentian
<i>Gentianopsis procera</i>	lesser fringed gentian ; lesser felwort
<i>Geum triflorum</i>	prairie smoke ; old-man's-whiskers
<i>Glyceria striata</i>	waterfowl mannagrass ; fowl mannagrass
<i>Glycyrrhiza lepidota</i>	American licorice
<i>Helenium autumnale</i>	fall sneezeweed ; common sneezeweed
<i>Helianthus giganteus</i>	giant sunflower ; swamp sunflower
<i>Helianthus maximiliani</i>	Maximilian's sunflower ; michaelmas-daisy
<i>Helianthus x laetiflorus</i>	cheerful sunflower
<i>Hesperostipa spartea</i>	porcupinegrass
<i>Heterotheca villosa</i> var. <i>villosa</i>	hairy false golden-aster
<i>Heuchera richardsonii</i>	prairie alumroot ; Richardson's alumroot
<i>Hieracium umbellatum</i>	narrow-leaf hawkweed
<i>Hordeum jubatum</i>	foxtail barley ; squirrel tail
<i>Hypoxis hirsuta</i>	eastern yellow star-grass
<i>Juncus arcticus</i> var. <i>balticus</i>	arctic rush
<i>Juncus torreyi</i>	Torrey's rush
<i>Koeleria macrantha</i>	prairie junegrass ; prairie Koeler's grass
<i>Lathyrus palustris</i>	marsh vetchling
<i>Liatris aspera</i>	rough blazing star ; tall gayfeather
<i>Liatris cylindracea</i>	few-headed blazing star ; Ontario gayfeather
<i>Liatris ligulistylis</i>	Plains blazing star ; strap-style gayfeather
<i>Liatris pycnostachya</i>	prairie blazing star ; cat-tail gayfeather
<i>Lilium philadelphicum</i>	wood lily
<i>Linum sulcatum</i>	grooved yellow flax
<i>Lithospermum canescens</i>	hoary puccoon
<i>Lobelia kalmii</i>	brook lobelia ; Ontario lobelia
<i>Lobelia spicata</i>	spiked lobelia ; pale-spike lobelia
<i>Lycopus americanus</i>	cut-leaf water-horehound ; American water-horehound
<i>Lycopus asper</i>	rough water-horehound ; western water-horehound

Specimen Determination	Common Name
<i>Lycopus uniflorus</i>	northern water-horehound
<i>Lysimachia ciliata</i>	fringed loosestrife
<i>Lysimachia quadriflora</i>	prairie loosestrife ; four-flower loosestrife
<i>Lysimachia thysiflora</i>	swamp loosestrife ; tufted loosestrife
<i>Maianthemum stellatum</i>	starflower solomon's-seal ; yapi' zapi' hu
<i>Medicago lupulina</i>	black medick
<i>Melilotus alba</i>	white sweet-clover
<i>Melilotus officinalis</i>	yellow sweet-clover
<i>Mentha arvensis</i> var. <i>canadensis</i>	American wild mint ; ceya' ka
<i>Moehringia lateriflora</i>	bluntleaf sandwort ; grove sandwort
<i>Monarda fistulosa</i>	mint-leaf beabalm ; wahpe' was'tem'na
<i>Muhlenbergia cuspidata</i>	Plains muhly
<i>Muhlenbergia racemosa</i>	satingrass ; marsh muhly
<i>Muhlenbergia richardsonis</i>	mat muhly
<i>Mulgedium pulchellum</i>	common blue lettuce ; Russian blue lettuce
<i>Oenothera biennis</i> var. <i>biennis</i>	common evening-primrose ; king's cure-all
<i>Oxalis violacea</i>	violet wood-sorrel
<i>Packera plattensis</i>	prairie groundsel ; Platte River ragwort
<i>Packera pseudoaurea</i> var. <i>semicordata</i>	false-gold groundsel ; western golden ragwort
<i>Panicum capillare</i>	witchgrass
<i>Panicum virgatum</i>	switchgrass
<i>Parnassia glauca</i>	American grass-of-parnassus ; fen grass-of-parnassua
<i>Parnassia palustris</i>	arctic grass-of-parnassus ; marsh grass-of-parnassus
<i>Parthenocissus vitacea</i>	grape woodbine ; thicket creeper
<i>Pascopyrum smithii</i>	western wheatgrass
<i>Pedicularis canadensis</i>	forest lousewort ; Canada lousewort
<i>Pedicularis lanceolata</i>	swamp lousewort
<i>Pediomelum argophyllum</i>	silvery scurf-pea ; silver-leaf Indian breadroot
<i>Pediomelum esculentum</i>	shaggy prairie-turnip ; large Indian breadroot
<i>Penstemon gracilis</i>	slender beardtongue ; lilac beardtongue
<i>Persicaria maculosa</i>	lady's-thumb
<i>Phleum pratense</i>	common timothy
<i>Phragmites australis</i>	giant reed ; common reed
<i>Plantago eriopoda</i>	woolly-crowned plantain ; red-woolly plantain
<i>Platanthera aquilonis</i>	northern green orchid
<i>Poa compressa</i>	Canada bluegrass ; flat-stem bluegrass
<i>Poa palustris</i>	meadow bluegrass ; waterfowl meadowgrass
<i>Poa pratensis</i> ssp. <i>angustifolia</i>	Kentucky bluegrass
<i>Polygala senega</i>	Seneca-snakeroot ; Seneca milkwort
<i>Populus balsamifera</i>	balsam poplar
<i>Populus tremuloides</i>	trembling aspen ; quaking aspen

Specimen Determination	Common Name
<i>Potentilla anserina</i>	common silverweed
<i>Potentilla arguta</i>	tall cinquefoil
<i>Prenanthes racemosa</i>	purple rattlesnake root ; glaucous white-lettuce
<i>Primula mistassinica</i>	birds-eye primrose ; Lake Mistassini primrose
<i>Prunella vulgaris</i>	common selfheal ; heal-all
<i>Prunus pumila</i> var. <i>besseyi</i>	Great Lakes sand cherry
<i>Prunus virginiana</i>	choke cherry
<i>Pycnanthemum virginianum</i>	Virginia mountain mint
<i>Rhynchospora capillacea</i>	hair-like beakrush ; needle beaksedge
<i>Rosa arkansana</i>	dwarf prairie rose
<i>Rosa blanda</i>	smooth rose ; Labrador rose
<i>Rubus idaeus</i> var. <i>strigosus</i>	common red raspberry
<i>Rudbeckia hirta</i> var. <i>pulcherrima</i>	black-eyed-susan
<i>Rumex britannica</i>	greater water dock
<i>Salix bebbiana</i>	gray willow ; long-beak willow
<i>Salix candida</i>	sage-leaf willow ; sage willow
<i>Salix discolor</i>	pussy willow
<i>Salix humilis</i>	upland willow ; prairie willow
<i>Salix interior</i>	sandbar willow
<i>Salix petiolaris</i>	meadow willow
<i>Salix serissima</i>	autumn willow
<i>Salsola tragus</i>	prickly Russian-thistle
<i>Schizachyrium scoparium</i> var. <i>scoparium</i>	little bluestem
<i>Schoenoplectus pungens</i>	three-square bulrush ; common threesquare
<i>Schoenoplectus tabernaemontani</i>	soft-stem bulrush ; great bulrush
<i>Scutellaria leonardii</i>	little skullcap ; small skullcap
<i>Setaria pumila</i>	yellow foxtail ; pearl millet
<i>Sisyrinchium montanum</i> var. <i>montanum</i>	mountain blue-eyed-grass ; strict blue-eyed-grass
<i>Sisyrinchium mucronatum</i>	needletip blue-eyed-grass
<i>Solidago altissima</i>	late goldenrod
<i>Solidago altissima</i> ssp. <i>gilvocanescens</i>	late goldenrod
<i>Solidago canadensis</i>	Canada goldenrod
<i>Solidago gigantea</i>	late goldenrod ; giant goldenrod
<i>Solidago missouriensis</i>	Missouri goldenrod
<i>Solidago nemoralis</i> ssp. <i>nemoralis</i>	gray goldenrod
<i>Solidago ptarmicoides</i>	prairie goldenrod ; sneezewort-aster
<i>Solidago riddellii</i>	Riddells goldenrod
<i>Solidago rigida</i>	stiff goldenrod
<i>Solidago rigida</i> ssp. <i>humilis</i>	stiff goldenrod
<i>Solidago x bernardii</i>	goldenrod ; yellow stiff-aster
<i>Sonchus arvensis</i> ssp. <i>uliginosus</i>	field sow-thistle ; perennial sow-thistle
<i>Sorghastrum nutans</i>	Indiangrass

Specimen Determination	Common Name
<i>Spartina pectinata</i>	prairie cordgrass ; santu'hu tan'ka
<i>Spiraea alba</i> var. <i>alba</i>	white meadowsweet
<i>Spiranthes cernua</i>	white nodding ladies'-tresses
<i>Stachys palustris</i> var. <i>pilosa</i>	woundwort ; marsh hedge-nettle
<i>Symphoricarpos occidentalis</i>	wolfberry ; western snowberry
<i>Symphyotrichum boreale</i>	northern bog aster ; rush aster
<i>Symphyotrichum ericoides</i>	frost aster ; white heath aster
<i>Symphyotrichum laeve</i> var. <i>laeve</i>	smooth blue aster
<i>Symphyotrichum lanceolatum</i> var. <i>lanceolatum</i>	white panicle aster ; eastern lined aster
<i>Symphyotrichum novae-angliae</i>	New England aster
<i>Symphyotrichum sericeum</i>	western silky aster ; western silver aster
<i>Teucrium canadense</i>	American germander ; wood-sage
<i>Thalictrum dasycarpum</i>	purple meadow-rue ; tall meadow-rue
<i>Thalictrum venulosum</i>	veiny-leaf meadow-rue
<i>Tragopogon dubius</i>	meadow goat's-beard ; yellow salsify
<i>Trichophorum cespitosum</i>	tufted bulrush
<i>Trifolium repens</i>	white clover
<i>Triglochin maritima</i>	common arrow-grass ; seaside arrow-grass
<i>Triglochin palustris</i>	marsh arrow-grass ; slender arrow-grass
<i>Ulmus americana</i>	American elm
<i>Urtica dioica</i> ssp. <i>gracilis</i>	stinging nettle
<i>Utricularia intermedia</i>	flat-leaf bladderwort ; northern bladderwort
<i>Utricularia minor</i>	lesser bladderwort
<i>Vernonia fasciculata</i>	prairie ironweed
<i>Veronicastrum virginicum</i>	culver's root
<i>Viburnum lentago</i>	nannyberry
<i>Viola nephrophylla</i>	northern bog violet
<i>Viola palmata</i> var. <i>pedatifida</i>	crow's-foot violet; early blue violet
<i>Viola sororia</i>	dooryard violet; hooded blue violet
<i>Vitis riparia</i>	frost grape; riverbank grape
<i>Zigadenus elegans</i>	mountain death-camas
<i>Zizia aptera</i>	heart-leaf alexanders; meadow alexanders
<i>Zizia aurea</i>	golden alexanders

Source: J. F. Bell Museum of Natural History Herbarium, Vascular plant collection database