

Pembina Trail Preserve SNA

Plant List

Specimen Determination	Common Name
<i>Achillea millefolium</i>	common yarrow
<i>Agalinis tenuifolia</i>	slender-leaf false foxglove ; common false foxglove
<i>Agoseris glauca</i> var. <i>glauca</i>	pale goat-chicory ; pale agoseris
<i>Agrostis gigantea</i>	redtop ; black bent
<i>Allium stellatum</i>	autumn onion ; prairie onion
<i>Ambrosia artemisiifolia</i>	common ragweed ; annual ragweed
<i>Ambrosia psilostachya</i>	western ragweed ; perennial ragweed
<i>Amorpha canescens</i>	leadplant
<i>Amorpha nana</i>	fragrant indigo-bush ; smooth leadplant
<i>Andropogon gerardii</i>	big bluestem
<i>Anemone canadensis</i>	round-leaf thimbleweed ; Canada anemone
<i>Anemone cylindrica</i>	long-head thimbleweed ; candle anemone
<i>Antennaria neglecta</i>	field pussytoes
<i>Anthoxanthum hirtum</i>	vanillagrass ; wacan'ga
<i>Apocynum androsaemifolium</i>	spreading dogbane
<i>Apocynum sibiricum</i>	clasping dogbane ; Indian-hemp
<i>Arctium</i>	
<i>Artemisia absinthium</i>	absinthe wormwood ; old-man
<i>Artemisia campestris</i> ssp. <i>caudata</i>	Pacific wormwood ; field sagewort
<i>Artemisia ludoviciana</i> ssp. <i>ludoviciana</i>	white sagebrush ; western mugwort
<i>Asclepias incarnata</i> var. <i>incarnata</i>	swamp milkweed
<i>Asclepias ovalifolia</i>	oval-leaf milkweed
<i>Asclepias speciosa</i>	showy milkweed
<i>Asclepias verticillata</i>	whorled milkweed
<i>Asparagus officinalis</i>	common asparagus ; garden asparagus
<i>Astragalus canadensis</i>	Canadian milk-vetch
<i>Astragalus crassicaarpus</i>	ground-plum ; prairie-plum
<i>Betula pumila</i>	bog birch
<i>Bouteloua gracilis</i>	blue gramma ; peji' oki'jata
<i>Bromus ciliatus</i>	fringed brome
<i>Bromus inermis</i>	smooth brome ; Hungarian brome
<i>Bromus kalmii</i>	Kalm's brome
<i>Calamagrostis stricta</i>	northern reedgrass ; slim bluejoint
<i>Calamagrostis stricta</i> ssp. <i>inexpansa</i>	northern reedgrass ; slim bluejoint
<i>Calystegia sepium</i>	hedge false bindweed
<i>Campanula aparinoides</i>	marsh bellflower ; bedstraw bellflower
<i>Campanula rotundifolia</i>	bluebell of Scotland ; harebell
<i>Carex buxbaumii</i>	Buxbaum's sedge
<i>Carex crawei</i>	Crawe's sedge ; early fen sedge
<i>Carex hallii</i>	Hall's sedge ; deer sedge

Specimen Determination	Common Name
<i>Carex lasiocarpa</i> ssp. <i>americana</i>	American woolly-fruit sedge
<i>Carex pellita</i>	brown-leaf woolly sedge ; woolly sedge
<i>Carex praegracilis</i>	freeway sedge ; clustered field sedge
<i>Carex prairea</i>	prairie sedge
<i>Carex richardsonii</i>	Richardson's sedge ; prairie hummock sedge
<i>Carex sartwellii</i>	Sartwell's sedge ; running marsh sedge
<i>Carex scirpoidea</i>	northern single-spike sedge
<i>Carex sterilis</i>	sterile sedge ; dioecious sedge
<i>Carex tetanica</i>	stiff sedge ; rigid sedge
<i>Carex umbellata</i>	early oak sedge ; parasol sedge
<i>Carex viridula</i>	little green sedge ; green yellow sedge
<i>Castilleja coccinea</i>	scarlet Indian paintbrush ; painted cup
<i>Cerastium arvense</i>	field chickweed ; starry grasswort
<i>Cicuta maculata</i> var. <i>maculata</i>	spotted water-hemlock
<i>Cirsium arvense</i>	Canada thistle
<i>Cirsium discolor</i>	field thistle
<i>Cirsium flodmanii</i>	Flodman's thistle ; prairie thistle
<i>Cirsium muticum</i>	swamp thistle
<i>Conyza canadensis</i>	Canadian horseweed
<i>Cornus sericea</i>	red-osier dogwood
<i>Cypripedium candidum</i>	small white lady-slipper
<i>Cypripedium parviflorum</i> var. <i>pubescens</i>	yellow lady-slipper ; lesser yellow lady-slipper
<i>Dalea candida</i>	white prairie-clover
<i>Dalea purpurea</i>	purple prairie-clover ; violet prairie-clover
<i>Delphinium carolinianum</i> var. <i>virescens</i>	Carolina larkspur
<i>Deschampsia cespitosa</i>	common hairgrass ; tufted hairgrass
<i>Distichlis spicata</i>	saltgrass
<i>Doellingeria umbellata</i>	parasol whitetop ; tall flat-top aster
<i>Doellingeria umbellata</i> var. <i>pubens</i>	parasol whitetop ; tall flat-top aster
<i>Elaeagnus commutata</i>	American silverberry
<i>Eleocharis</i>	
<i>Eleocharis compressa</i>	flatstem spikerush
<i>Eleocharis compressa</i> var. <i>compressa</i>	flatstem spikerush
<i>Eleocharis erythropoda</i>	bald spikerush
<i>Elymus canadensis</i>	Canada wild rye ; pteya' hota
<i>Elymus repens</i>	quackgrass
<i>Epilobium angustifolium</i>	fireweed
<i>Equisetum arvense</i>	field horsetail
<i>Equisetum laevigatum</i>	smooth horsetail ; smooth scouring-rush
<i>Erigeron glabellus</i> var. <i>pubescens</i>	streamside fleabane ; daisy fleabane
<i>Eriophorum angustifolium</i>	thin-scale cotton-grass ; tall cotton-grass
<i>Erucastrum gallicum</i>	dog mustard
<i>Erysimum inconspicuum</i>	shy wallflower ; small wormseed mustard

Specimen Determination	Common Name
<i>Euthamia graminifolia</i>	grass-leaf goldenrod ; flat-top goldentop
<i>Fallopia convolvulus</i>	black-bindweed ; false wild buckwheat
<i>Fragaria vesca</i> var. <i>americana</i>	woodland strawberry
<i>Gaillardia aristata</i>	great blanket flower ; great gaillardia
<i>Galium boreale</i>	northern bedstraw
<i>Gentiana affinis</i>	northern gentian ; pleated gentian
<i>Gentiana andrewsii</i>	closed bottle gentian ; closed gentian
<i>Gentiana puberulenta</i>	downy gentian ; prairie gentian
<i>Gentianopsis procera</i>	lesser fringed gentian ; lesser felwort
<i>Geum aleppicum</i>	yellow avens
<i>Geum triflorum</i>	prairie smoke ; old-man's-whiskers
<i>Glyceria striata</i>	waterfowl mannagrass ; fowl mannagrass
<i>Glycyrrhiza lepidota</i>	American licorice
<i>Grindelia hirsutula</i>	hairy gumweed
<i>Grindelia squarrosa</i>	curly-cup gumweed ; curly-cap gumweed
<i>Helenium autumnale</i>	fall sneezeweed ; common sneezeweed
<i>Helianthus maximiliani</i>	Maximilian's sunflower ; michaelmas-daisy
<i>Helianthus pauciflorus</i> ssp. <i>pauciflorus</i>	stiff sunflower ; prairie sunflower
<i>Hesperostipa spartea</i>	porcupinegrass
<i>Heterotheca villosa</i> var. <i>villosa</i>	hairy false golden-aster
<i>Heuchera richardsonii</i>	prairie alumroot ; Richardson's alumroot
<i>Hieracium umbellatum</i>	narrow-leaf hawkweed
<i>Hordeum jubatum</i>	foxtail barley ; squirrel tail
<i>Hypoxis hirsuta</i>	eastern yellow star-grass
<i>Juncus arcticus</i>	arctic rush
<i>Juncus arcticus</i> var. <i>balticus</i>	arctic rush
<i>Juncus brevicaudatus</i>	narrow-panicle rush
<i>Juncus interior</i>	inland rush ; interior rush
<i>Juncus tenuis</i>	path rush ; poverty rush
<i>Juncus torreyi</i>	Torrey's rush
<i>Krigia biflora</i>	two-flower dwarf-dandelion ; lemon-flowered cynthia
<i>Lactuca canadensis</i>	Canada lettuce ; Florida blue lettuce
<i>Lappula squarrosa</i>	two-row stickseed ; bristly sheep-burr
<i>Lathyrus palustris</i>	marsh vetchling
<i>Liatris aspera</i>	rough blazing star ; tall gayfeather
<i>Liatris ligulistylis</i>	Plains blazing star ; strap-style gayfeather
<i>Liatris pycnostachya</i>	prairie blazing star ; cat-tail gayfeather
<i>Lilium philadelphicum</i>	wood lily
<i>Linum sulcatum</i>	grooved yellow flax
<i>Liparis loeselii</i>	yellow wide-lip orchid ; bog twayblade
<i>Lithospermum canescens</i>	hoary puccoon
<i>Lobelia kalmii</i>	brook lobelia ; Ontario lobelia

Specimen Determination	Common Name
<i>Lobelia spicata</i>	spiked lobelia ; pale-spike lobelia
<i>Lobelia spicata</i> var. <i>hirtella</i>	spiked lobelia ; pale-spike lobelia
<i>Lycopus americanus</i>	cut-leaf water-horehound ; American water-horehound
<i>Lycopus asper</i>	rough water-horehound ; western water-horehound
<i>Lysimachia ciliata</i>	fringed loosestrife
<i>Lysimachia quadriflora</i>	prairie loosestrife ; four-flower loosestrife
<i>Lysimachia thysiflora</i>	swamp loosestrife ; tufted loosestrife
<i>Maianthemum stellatum</i>	starflower solomon's-seal ; yapi' zapi' hu
<i>Medicago sativa</i>	alfalfa
<i>Melilotus alba</i>	white sweet-clover
<i>Melilotus officinalis</i>	yellow sweet-clover
<i>Mentha arvensis</i> var. <i>canadensis</i>	American wild mint ; ceya' ka
<i>Moehringia lateriflora</i>	bluntleaf sandwort ; grove sandwort
<i>Monarda fistulosa</i>	mint-leaf beabalm ; wahpe' was'tem'na
<i>Muhlenbergia glomerata</i>	spike muhly ; marsh muhly
<i>Muhlenbergia richardsonis</i>	mat muhly
<i>Mulgedium pulchellum</i>	common blue lettuce ; Russian blue lettuce
<i>Oenothera biennis</i> var. <i>biennis</i>	common evening-primrose ; king's cure-all
<i>Oxalis violacea</i>	violet wood-sorrel
<i>Packera paupercula</i>	balsam groundsel ; balsam ragwort
<i>Panicum capillare</i>	witchgrass
<i>Panicum virgatum</i>	switchgrass
<i>Parnassia glauca</i>	American grass-of-parnassus ; fen grass-of-parnassua
<i>Parthenocissus vitacea</i>	grape woodbine ; thicket creeper
<i>Pascopyrum smithii</i>	western wheatgrass
<i>Pedicularis canadensis</i>	forest lousewort ; Canada lousewort
<i>Pedicularis lanceolata</i>	swamp lousewort
<i>Pediomelum argophyllum</i>	silvery scurf-pea ; silver-leaf Indian breadroot
<i>Penstemon gracilis</i>	slender beardtongue ; lilac beardtongue
<i>Persicaria amphibia</i>	water smartweed
<i>Phalaris arundinacea</i>	reed canarygrass
<i>Phleum pratense</i>	common timothy
<i>Platanthera aquilonis</i>	northern green orchid
<i>Platanthera praeclara</i>	Great Plains white fringed orchid ; western prairie fringed orchid
<i>Poa arida</i>	prairie bluegrass ; Plains bluegrass
<i>Poa compressa</i>	Canada bluegrass ; flat-stem bluegrass
<i>Poa palustris</i>	meadow bluegrass ; waterfowl meadowgrass
<i>Poa pratensis</i>	Kentucky bluegrass
<i>Poa pratensis</i> ssp. <i>angustifolia</i>	Kentucky bluegrass
<i>Polygala senega</i>	Seneca-snakeroot ; Seneca milkwort
<i>Populus balsamifera</i>	balsam poplar

Specimen Determination	Common Name
<i>Populus deltoides</i> ssp. <i>monilifera</i>	eastern cottonwood
<i>Potentilla anserina</i>	common silverweed
<i>Potentilla arguta</i>	tall cinquefoil
<i>Potentilla fruticosa</i>	shrubby cinquefoil ; golden hardhack
<i>Potentilla norvegica</i>	strawberryweed ; Norwegian cinquefoil
<i>Prenanthes alba</i>	white rattlesnake root ; white-lettuce
<i>Prenanthes racemosa</i>	purple rattlesnake root ; glaucous white-lettuce
<i>Prunella vulgaris</i>	common selfheal ; heal-all
<i>Pycnanthemum virginianum</i>	Virginia mountain mint
<i>Ranunculus cymbalaria</i>	alkali buttercup ; seaside buttercup
<i>Rhynchospora capillacea</i>	hair-like beakrush ; needle beaksedge
<i>Rosa arkansana</i>	dwarf prairie rose
<i>Rosa blanda</i>	smooth rose ; Labrador rose
<i>Rubus idaeus</i> var. <i>strigosus</i>	common red raspberry
<i>Rudbeckia hirta</i> var. <i>pulcherrima</i>	black-eyed-susan
<i>Rumex britannica</i>	greater water dock
<i>Rumex crispus</i>	curly dock ; yellow dock
<i>Salix bebbiana</i>	gray willow ; long-beak willow
<i>Salix candida</i>	sage-leaf willow ; sage willow
<i>Salix discolor</i>	pussy willow
<i>Salix humilis</i>	upland willow ; prairie willow
<i>Salix humilis</i> var. <i>tristis</i>	upland willow ; prairie willow
<i>Salix interior</i>	sandbar willow
<i>Salix petiolaris</i>	meadow willow
<i>Salix serissima</i>	autumn willow
<i>Schizachyrium scoparium</i> var. <i>scoparium</i>	little bluestem
<i>Schoenoplectus acutus</i>	hard-stem bulrush
<i>Silene latifolia</i>	white campion ; bladder campion
<i>Sinapis arvensis</i>	corn mustard ; charlock
<i>Sisyrinchium mucronatum</i>	needletip blue-eyed-grass
<i>Smilax lasioneura</i>	Blue Ridge carrion-flower ; Blue Ridge greenbrier
<i>Solidago altissima</i>	late goldenrod
<i>Solidago canadensis</i>	Canada goldenrod
<i>Solidago gigantea</i>	late goldenrod ; giant goldenrod
<i>Solidago missouriensis</i>	Missouri goldenrod
<i>Solidago nemoralis</i> ssp. <i>decemflora</i>	gray goldenrod
<i>Solidago nemoralis</i> ssp. <i>nemoralis</i>	gray goldenrod
<i>Solidago ptarmicoides</i>	prairie goldenrod ; sneezewort-aster
<i>Solidago riddellii</i>	Riddells goldenrod
<i>Sonchus arvensis</i> ssp. <i>uliginosus</i>	field sow-thistle ; perennial sow-thistle
<i>Spartina pectinata</i>	prairie cordgrass ; santu'hu tan'ka
<i>Sphenopholis obtusata</i>	prairie wedgescale ; wedgegrass
<i>Spiraea alba</i> var. <i>alba</i>	white meadowsweet

Specimen Determination	Common Name
<i>Stachys palustris</i> var. <i>pilosa</i>	woundwort ; marsh hedge-nettle
<i>Symphoricarpos occidentalis</i>	wolfberry ; western snowberry
<i>Symphyotrichum boreale</i>	northern bog aster ; rush aster
<i>Symphyotrichum ciliatum</i>	rayless alkali aster
<i>Symphyotrichum ericoides</i>	frost aster ; white heath aster
<i>Symphyotrichum lanceolatum</i> var. <i>lanceolatum</i>	white panicle aster ; eastern lined aster
<i>Symphyotrichum novae-angliae</i>	New England aster
<i>Symphyotrichum oblongifolium</i>	aromatic aster
<i>Teucrium canadense</i>	American germander ; wood-sage
<i>Thalictrum dasycarpum</i>	purple meadow-rue ; tall meadow-rue
<i>Trichophorum cespitosum</i>	tufted bulrush
<i>Trifolium pratense</i>	red clover
<i>Trifolium repens</i>	white clover
<i>Triglochin maritima</i>	common arrow-grass ; seaside arrow-grass
<i>Triglochin palustris</i>	marsh arrow-grass ; slender arrow-grass
<i>Typha latifolia</i>	broad-leaf cattail
<i>Utricularia intermedia</i>	flat-leaf bladderwort ; northern bladderwort
<i>Utricularia vulgaris</i>	greater bladderwort ; common bladderwort
<i>Veronica catenata</i>	blue water speedwell
<i>Veronicastrum virginicum</i>	culver's root
<i>Viola nephrophylla</i>	northern bog violet
<i>Viola palmata</i> var. <i>pedatifida</i>	crow's-foot violet; early blue violet
<i>Viola pubescens</i>	yellow forest violet; downy yellow violet
<i>Viola sororia</i>	dooryard violet; hooded blue violet
<i>Vitis riparia</i>	frost grape; riverbank grape
<i>Zigadenus elegans</i>	mountain death-camas
<i>Zizia aptera</i>	heart-leaf alexanders; meadow alexanders
<i>Zizia aurea</i>	golden alexanders

Source: J. F. Bell Museum of Natural History Herbarium, Vascular plant collection database