

Zimmerman Prairie

Plant List

Specimen Determination	Common Name
<i>Acer negundo</i>	boxelder ; ash-leaf maple
<i>Agoseris glauca</i> var. <i>glauca</i>	pale goat-chicory ; pale agoseris
<i>Agrostis gigantea</i>	redtop ; black bent
<i>Allium stellatum</i>	autumn onion ; prairie onion
<i>Ambrosia artemisiifolia</i>	common ragweed ; annual ragweed
<i>Amorpha canescens</i>	leadplant
<i>Amorpha nana</i>	fragrant indigo-bush ; smooth leadplant
<i>Andropogon gerardii</i>	big bluestem
<i>Anemone canadensis</i>	round-leaf thimbleweed ; Canada anemone
<i>Anemone cylindrica</i>	long-head thimbleweed ; candle anemone
<i>Apocynum sibiricum</i>	clasping dogbane ; Indian-hemp
<i>Asclepias incarnata</i> var. <i>incarnata</i>	swamp milkweed
<i>Asclepias ovalifolia</i>	oval-leaf milkweed
<i>Asclepias speciosa</i>	showy milkweed
<i>Asparagus officinalis</i>	common asparagus ; garden asparagus
<i>Astragalus agrestis</i>	field milk-vetch ; cock's-head
<i>Astragalus canadensis</i>	Canadian milk-vetch
<i>Astragalus crassicaarpus</i> var. <i>crassicaarpus</i>	ground-plum ; prairie-plum
<i>Avena fatua</i>	wild oat
<i>Bouteloua curtipendula</i>	sideoats gramma ; semiphoregrass
<i>Bromus kalmii</i>	Kalm's brome
<i>Calamagrostis stricta</i> ssp. <i>inexpansa</i>	northern reedgrass ; slim bluejoint
<i>Calystegia sepium</i>	hedge false bindweed
<i>Campanula rotundifolia</i>	bluebell of Scotland ; harebell
<i>Carex atherodes</i>	slough sedge ; wheat sedge
<i>Carex buxbaumii</i>	Buxbaum's sedge
<i>Carex crawei</i>	Crawe's sedge ; early fen sedge
<i>Carex praegracilis</i>	freeway sedge ; clustered field sedge
<i>Carex scirpoidea</i>	northern single-spike sedge
<i>Carex tenera</i>	quill sedge ; marsh straw sedge
<i>Carex utriculata</i>	common yellow sedge ; Northwest Territories sedge
<i>Castilleja coccinea</i>	scarlet Indian paintbrush ; painted cup
<i>Cicuta maculata</i> var. <i>maculata</i>	spotted water-hemlock
<i>Cirsium arvense</i>	Canada thistle
<i>Cirsium flodmanii</i>	Flodman's thistle ; prairie thistle
<i>Comandra umbellata</i> var. <i>umbellata</i>	bastard-toadflax
<i>Cornus sericea</i>	red-osier dogwood
<i>Crataegus chrysoarpa</i>	fireberry hawthorn ; red haw
<i>Crepis runcinata</i> ssp. <i>runcinata</i>	fiddle-leaf hawk's-beard

Specimen Determination	Common Name
<i>Cypripedium candidum</i>	small white lady-slipper
<i>Cypripedium parviflorum</i> var. <i>makasin</i>	yellow lady-slipper ; lesser yellow lady-slipper
<i>Cypripedium parviflorum</i> var. <i>pubescens</i>	yellow lady-slipper ; lesser yellow lady-slipper
<i>Dalea candida</i>	white prairie-clover
<i>Dalea purpurea</i>	purple prairie-clover ; violet prairie-clover
<i>Deschampsia cespitosa</i>	common hairgrass ; tufted hairgrass
<i>Dichanthelium leibergii</i>	Leiberg's panicgrass
<i>Elymus repens</i>	quackgrass
<i>Elymus trachycaulus</i>	slender wild rye ; slender wheatgrass
<i>Epilobium leptophyllum</i>	bog willowherb ; narrow-leaf willowherb
<i>Equisetum arvense</i>	field horsetail
<i>Equisetum laevigatum</i>	smooth horsetail ; smooth scouring-rush
<i>Erigeron glabellus</i> var. <i>pubescens</i>	streamside fleabane ; daisy fleabane
<i>Erigeron strigosus</i>	prairie fleabane ; rough fleabane
<i>Eriophorum angustifolium</i>	thin-scale cotton-grass ; tall cotton-grass
<i>Erucastrum gallicum</i>	dog mustard
<i>Euthamia graminifolia</i>	grass-leaf goldenrod ; flat-top goldentop
<i>Fragaria virginiana</i>	Virginia strawberry
<i>Galium boreale</i>	northern bedstraw
<i>Gentiana andrewsii</i> var. <i>dakotica</i>	closed bottle gentian ; closed gentian
<i>Gentiana puberulenta</i>	downy gentian ; prairie gentian
<i>Geum triflorum</i>	prairie smoke ; old-man's-whiskers
<i>Glyceria striata</i>	waterfowl mannagrass ; fowl mannagrass
<i>Glycyrrhiza lepidota</i>	American licorice
<i>Helenium autumnale</i>	fall sneezeweed ; common sneezeweed
<i>Helianthus giganteus</i>	giant sunflower ; swamp sunflower
<i>Helianthus maximiliani</i>	Maximilian's sunflower ; michaelmas-daisy
<i>Helianthus pauciflorus</i> ssp. <i>pauciflorus</i>	stiff sunflower ; prairie sunflower
<i>Heliopsis helianthoides</i> var. <i>scabra</i>	sunflower-everlasting ; smooth ox-eye
<i>Hesperostipa spartea</i>	porcupinegrass
<i>Hieracium umbellatum</i>	narrow-leaf hawkweed
<i>Hypoxis hirsuta</i>	eastern yellow star-grass
<i>Juncus arcticus</i> var. <i>balticus</i>	arctic rush
<i>Lathyrus palustris</i>	marsh vetchling
<i>Liatris aspera</i>	rough blazing star ; tall gayfeather
<i>Liatris ligulistylis</i>	Plains blazing star ; strap-style gayfeather
<i>Liatris pycnostachya</i>	prairie blazing star ; cat-tail gayfeather
<i>Lilium philadelphicum</i>	wood lily
<i>Lithospermum canescens</i>	hoary puccoon
<i>Lobelia spicata</i>	spiked lobelia ; pale-spike lobelia
<i>Lolium multiflorum</i>	perennial ryegrass
<i>Lotus corniculatus</i>	garden bird's-foot trefoil ; bird's-foot deer-vetch

Specimen Determination	Common Name
<i>Lycopus asper</i>	rough water-horehound ; western water-horehound
<i>Lysimachia quadriflora</i>	prairie loosestrife ; four-flower loosestrife
<i>Lysimachia thysiflora</i>	swamp loosestrife ; tufted loosestrife
<i>Medicago sativa</i>	alfalfa
<i>Melilotus alba</i>	white sweet-clover
<i>Mentha arvensis</i> var. <i>canadensis</i>	American wild mint ; ceya' ka
<i>Monarda fistulosa</i>	mint-leaf beabalm ; wahpe' was'tem'na
<i>Muhlenbergia glomerata</i>	spike muhly ; marsh muhly
<i>Muhlenbergia richardsonis</i>	mat muhly
<i>Mulgedium pulchellum</i>	common blue lettuce ; Russian blue lettuce
<i>Oenothera biennis</i> var. <i>biennis</i>	common evening-primrose ; king's cure-all
<i>Packera aurea</i>	heart-leaf groundsel ; golden ragwort
<i>Packera paupercula</i>	balsam groundsel ; balsam ragwort
<i>Packera pseudoaurea</i> var. <i>semicordata</i>	false-gold groundsel ; western golden ragwort
<i>Panicum virgatum</i>	switchgrass
<i>Parnassia glauca</i>	American grass-of-parnassus ; fen grass-of-parnassua
<i>Pedicularis lanceolata</i>	swamp lousewort
<i>Pediomelum argophyllum</i>	silvery scurf-pea ; silver-leaf Indian breadroot
<i>Pediomelum esculentum</i>	shaggy prairie-turnip ; large Indian breadroot
<i>Persicaria amphibia</i>	water smartweed
<i>Phalaris arundinacea</i>	reed canarygrass
<i>Phleum pratense</i>	common timothy
<i>Phlox pilosa</i> var. <i>fulgida</i>	downy phlox
<i>Phragmites australis</i>	giant read ; common reed
<i>Poa compressa</i>	Canada bluegrass ; flat-stem bluegrass
<i>Poa palustris</i>	meadow bluegrass ; waterfowl meadowgrass
<i>Poa pratensis</i>	Kentucky bluegrass
<i>Polygala senega</i>	Seneca-snakeroot ; Seneca milkwort
<i>Populus balsamifera</i>	balsam poplar
<i>Populus deltoides</i> ssp. <i>monilifera</i>	eastern cottonwood
<i>Populus tremuloides</i>	trembling aspen ; quaking aspen
<i>Potentilla anserina</i>	common silverweed
<i>Potentilla arguta</i>	tall cinquefoil
<i>Prenanthes racemosa</i>	purple rattlesnake root ; glaucous white-lettuce
<i>Pycnanthemum virginianum</i>	Virginia mountain mint
<i>Ribes americanum</i>	wild black currant ; American black currant
<i>Rosa arkansana</i>	dwarf prairie rose
<i>Rosa blanda</i>	smooth rose ; Labrador rose
<i>Rudbeckia hirta</i> var. <i>pulcherrima</i>	black-eyed-susan
<i>Rumex crispus</i>	curly dock ; yellow dock
<i>Salix bebbiana</i>	gray willow ; long-beak willow

Specimen Determination	Common Name
<i>Salix discolor</i>	pussy willow
<i>Salix petiolaris</i>	meadow willow
<i>Schizachyrium scoparium</i> var. <i>scoparium</i>	little bluestem
<i>Schoenoplectus acutus</i>	hard-stem bulrush
<i>Scolochloa festucacea</i>	common rivergrass ; sprangletop
<i>Sinapis arvensis</i>	corn mustard ; charlock
<i>Sisyrinchium mucronatum</i>	needletip blue-eyed-grass
<i>Solidago altissima</i>	late goldenrod
<i>Solidago altissima</i> ssp. <i>gilvocanescens</i>	late goldenrod
<i>Solidago gigantea</i>	late goldenrod ; giant goldenrod
<i>Solidago nemoralis</i> ssp. <i>nemoralis</i>	gray goldenrod
<i>Solidago ptarmicoides</i>	prairie goldenrod ; sneezewort-aster
<i>Solidago riddellii</i>	Riddells goldenrod
<i>Solidago rigida</i> ssp. <i>rigida</i>	stiff goldenrod
<i>Solidago x bernardii</i>	goldenrod ; yellow stiff-aster
<i>Sonchus arvensis</i> ssp. <i>uliginosus</i>	field sow-thistle ; perennial sow-thistle
<i>Sorghastrum nutans</i>	Indiangrass
<i>Spartina pectinata</i>	prairie cordgrass ; santu'hu tan'ka
<i>Sphenopholis obtusata</i>	prairie wedgescale ; wedgegrass
<i>Spiraea alba</i> var. <i>alba</i>	white meadowsweet
<i>Sporobolus compositus</i> var. <i>compositus</i>	tall dropseed ; rough dropseed
<i>Symphoricarpos occidentalis</i>	wolfberry ; western snowberry
<i>Symphyotrichum boreale</i>	northern bog aster ; rush aster
<i>Symphyotrichum ericoides</i>	frost aster ; white heath aster
<i>Symphyotrichum laeve</i>	smooth blue aster
<i>Symphyotrichum laeve</i> var. <i>laeve</i>	smooth blue aster
<i>Symphyotrichum lanceolatum</i> var. <i>hesperium</i>	white panicle aster ; eastern lined aster
<i>Symphyotrichum lanceolatum</i> var. <i>lanceolatum</i>	white panicle aster ; eastern lined aster
<i>Teucrium canadense</i> var. <i>occidentale</i>	American germander ; wood-sage
<i>Thalictrum dasycarpum</i>	purple meadow-rue ; tall meadow-rue
<i>Thalictrum dioicum</i>	early meadow-rue
<i>Tragopogon dubius</i>	meadow goat's-beard ; yellow salsify
<i>Typha latifolia</i>	broad-leaf cattail
<i>Ulmus americana</i>	American elm
<i>Urtica dioica</i> ssp. <i>gracilis</i>	stinging nettle
<i>Veronicastrum virginicum</i>	culver's root
<i>Viburnum lentago</i>	nannyberry
<i>Viola nephrophylla</i>	northern bog violet
<i>Viola sororia</i>	dooryard violet; hooded blue violet
<i>Zigadenus elegans</i>	mountain death-camas
<i>Zizia aptera</i>	heart-leaf alexanders; meadow alexanders
<i>Zizia aurea</i>	golden alexanders

Source: J. F. Bell Museum of Natural History Herbarium, Vascular plant collection database