

Species Frequently Found in Native Plant Communities

Central Dry Pine Woodland (FDc23)

Types in Class: Jack Pine - (Yarrow) Woodland (FDc23a)

Ericaceous Shrub Subtype (FDc23a1)

Bur Oak-Aspen Subtype (FDc23a2)

Scientific Name	Common Name	Rare Status
<i>Abies balsamea</i>	balsam fir	
<i>Acer rubrum</i>	red maple	
<i>Achillea millefolium</i>	yarrow	
<i>Amelanchier</i> spp.	juneberry	
<i>Andropogon gerardii</i>	big bluestem	
<i>Anemone quinquefolia</i> var. <i>quinquefolia</i>	wood anemone	
<i>Antennaria neglecta</i>	field pussytoes	
<i>Antennaria neglecta</i> var. <i>neodioica</i>	field pussytoes	
<i>Apocynum androsaemifolium</i>	spreading dogbane	
<i>Aralia nudicaulis</i>	wild sarsaparilla	
<i>Arctostaphylos uva-ursi</i>	bearberry	
<i>Asclepias ovalifolia</i>	oval-leaved milkweed	
<i>Betula papyrifera</i>	paper birch	
<i>Bromus ciliatus</i>	fringed brome	
<i>Bromus kalmii</i>	Kalm's brome	
<i>Campanula rotundifolia</i>	harebell	
<i>Carex pensylvanica</i> var. <i>digyna</i>	sun-loving sedge	
<i>Chimaphila umbellata</i> var. <i>cisatlantica</i>	pipsissewa	
<i>Corylus americana</i>	American hazelnut	
<i>Corylus cornuta</i> ssp. <i>cornuta</i>	beaked hazelnut	
<i>Danthonia spicata</i>	poverty grass	
<i>Diervilla lonicera</i>	bush honeysuckle	
<i>Elymus trachycaulus</i>	slender wheatgrass	
<i>Fragaria virginiana</i>	common strawberry	
<i>Galium boreale</i>	northern bedstraw	
<i>Gaultheria procumbens</i>	wintergreen	
<i>Hieracium kalmii</i>	Kalm's hawkweed	
<i>Lathyrus ochroleucus</i>	pale vetchling	
<i>Lathyrus venosus</i> var. <i>intonsus</i>	veiny pea	
<i>Lithospermum canescens</i>	hoary puccoon	
<i>Maianthemum canadense</i>	Canada mayflower	
<i>Muhlenbergia glomerata</i>	clustered muhly grass	
<i>Oryzopsis asperifolia</i>	mountain rice grass	
<i>Oryzopsis pungens</i>	sharp-pointed rice grass	
<i>Physalis virginiana</i>	Virginia ground cherry	
<i>Pinus banksiana</i>	jack pine	
<i>Pinus resinosa</i>	red pine	
<i>Pteridium aquilinum</i> var. <i>latiusculum</i>	bracken	
<i>Pyrola rotundifolia</i> var. <i>americana</i>	round-leaved pyrola	
<i>Pyrola secunda</i>	one-sided pyrola	

Species Frequently Found in Native Plant Communities

Central Dry Pine Woodland (FDc23)

<i>Quercus macrocarpa</i>	bur oak
<i>Quercus rubra</i>	northern red oak
<i>Rosa acicularis</i>	prickly rose
<i>Rosa blanda</i>	smooth wild rose
<i>Rubus allegheniensis</i>	Allegheny blackberry
<i>Rubus idaeus var. strigosus</i>	red raspberry
<i>Salix humilis</i>	prairie willow
<i>Schizachne purpurascens</i>	false melic grass
<i>Senecio pauperculus</i>	balsam ragwort
<i>Senecio plattensis</i>	prairie ragwort
<i>Smilacina stellata var. stellata</i>	starry false Solomon's seal
<i>Smilax ecirrata</i>	erect carrion flower
<i>Smilax herbacea</i>	smooth carrion flower
<i>Smilax illinoensis</i>	Illinois carrion flower
<i>Solidago hispida</i>	hairy goldenrod
<i>Symphoricarpos albus</i>	snowberry
<i>Symphoricarpos occidentalis</i>	wolfberry
<i>Symphyotrichum ciliolatum</i>	Lindley's aster
<i>Symphyotrichum laeve</i>	smooth aster
<i>Symphyotrichum oolentangiense</i>	skyblue aster
<i>Thalictrum dioicum</i>	early meadow-rue
<i>Toxicodendron rydbergii</i>	western poison ivy
<i>Vaccinium angustifolium</i>	lowbush blueberry
<i>Vicia americana</i>	American vetch

Source: Minnesota Department of Natural Resources (2005). Field Guide to the Native Plant Communities of Minnesota: The Eastern Broadleaf Forest Province. Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program. MNDNR St. Paul, MN.

Ericaceous Shrub Subtype (FDc23a1)

Scientific Name	Common Name	Rare Status
<i>Arctostaphylos uva-ursi</i>	bearberry	
<i>Betula papyrifera</i>	paper birch	
<i>Chimaphila umbellata var. cisatlantica</i>	pipsissewa	
<i>Gaultheria procumbens</i>	wintergreen	
<i>Pinus banksiana</i>	jack pine	
<i>Pinus resinosa</i>	red pine	
<i>Quercus rubra</i>	northern red oak	

Source: Minnesota Department of Natural Resources (2005). Field Guide to the Native Plant Communities of Minnesota: The Eastern Broadleaf Forest Province. Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program. MNDNR St. Paul, MN.

Species Frequently Found in Native Plant Communities

Central Dry Pine Woodland (FDc23)

Bur Oak-Aspen Subtype (FDc23a2)

Scientific Name	Common Name	Rare Status
<i>Crataegus</i> spp.	hawthorn	
<i>Eurybia macrophylla</i>	large-leaved aster	
<i>Goodyera tessellata</i>	tesselated rattlesnake plantain	
<i>Melampyrum lineare</i>	cow wheat	
<i>Pinus banksiana</i>	jack pine	
<i>Populus tremuloides</i>	quaking aspen	
<i>Quercus macrocarpa</i>	bur oak	
<i>Quercus rubra</i>	northern red oak	
<i>Sanicula marilandica</i>	Maryland black snakeroot	
<i>Smilax ecirrata</i>	erect carrion flower	
<i>Smilax herbacea</i>	smooth carrion flower	
<i>Smilax illinoensis</i>	Illinois carrion flower	
<i>Thalictrum dioicum</i>	early meadow-rue	
<i>Trientalis borealis</i>	starflower	

Source: Minnesota Department of Natural Resources (2005). Field Guide to the Native Plant Communities of Minnesota: The Eastern Broadleaf Forest Province. Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program. MNDNR St. Paul, MN.