

Species Frequently Found in Native Plant Communities

Southern Dry-Mesic Pine-Oak Woodland (FDs27)

Types in Class: Jack Pine - Oak Woodland (Sand) (FDs27a)

White Pine - Oak Woodland (Sand) (FDs27b)

Black Oak - White Oak Woodland (Sand) (FDs27c)

| Scientific Name | Common Name | Rare Status |
|--|-------------------------------|-------------|
| <i>Achillea millefolium</i> | Yarrow | |
| <i>Amorpha canescens</i> | Leadplant | |
| <i>Amphicarpaea bracteata</i> | Hog peanut | |
| <i>Anemone americana</i> | Round-lobed hepatica | |
| <i>Anemone quinquefolia</i> var. <i>quinquefolia</i> | Wood anemone | |
| <i>Antennaria</i> spp. | pussytoes | |
| <i>Apocynum androsaemifolium</i> | Spreading dogbane | |
| <i>Aquilegia canadensis</i> | Columbine | |
| <i>Aralia nudicaulis</i> | Wild sarsaparilla | |
| <i>Aster cordifolius</i> | Heart-leaved aster | |
| <i>Athyrium filix-femina</i> var. <i>angustum</i> | Lady fern | |
| <i>Betula papyrifera</i> | Paper birch | |
| <i>Botrychium virginianum</i> | Rattlesnake fern | |
| <i>Campanula rotundifolia</i> | Harebell | |
| <i>Carex pensylvanica</i> var. <i>digyna</i> | Sun-loving sedge | |
| <i>Carya cordiformis</i> | Bitternut hickory | |
| <i>Chimaphila umbellata</i> var. <i>cisatlantica</i> | Pipsissewa | |
| <i>Circaea lutetiana</i> var. <i>canadensis</i> | Common enchanter's nightshade | |
| <i>Cornus alternifolia</i> | Pagoda dogwood | |
| <i>Cornus racemosa</i> | Gray dogwood | |
| <i>Corylus americana</i> | American hazelnut | |
| <i>Desmodium glutinosum</i> | Pointed-leaved tick trefoil | |
| <i>Eupatorium rugosum</i> | White snakeroot | |
| <i>Euphorbia corollata</i> var. <i>corollata</i> | Flowering spurge | |
| <i>Fragaria virginiana</i> | Common strawberry | |
| <i>Galium boreale</i> | Northern bedstraw | |
| <i>Galium concinnum</i> | Shining bedstraw | |
| <i>Galium triflorum</i> | Sweet-scented bedstraw | |
| <i>Geranium maculatum</i> | Wild geranium | |
| <i>Geum canadense</i> | White avens | |
| <i>Goodyera pubescens</i> | Downy rattlesnake plantain | |
| <i>Juniperus virginiana</i> var. <i>virginiana</i> | Eastern red cedar | |
| <i>Maianthemum canadense</i> var. <i>interius</i> | Canada mayflower | |
| <i>Osmorhiza claytonii</i> | Clayton's sweet cicely | |
| <i>Ostrya virginiana</i> | Ironwood | |
| <i>Parthenocissus</i> spp. | Virginia creeper | |
| <i>Phryma leptostachya</i> | Lopseed | |
| <i>Pinus banksiana</i> | Jack pine | |
| <i>Pinus strobus</i> | White pine | |
| <i>Prenanthes alba</i> | White rattlesnakeroot | |

Species Frequently Found in Native Plant Communities

Southern Dry-Mesic Pine-Oak Woodland (FDs27)

| | |
|--|-----------------------------|
| <i>Prunus pensylvanica</i> | Pin cherry |
| <i>Prunus serotina</i> | Black cherry |
| <i>Prunus virginiana</i> | Chokecherry |
| <i>Pteridium aquilinum</i> var. <i>latiusculum</i> | Bracken |
| <i>Pyrola elliptica</i> | Elliptic shinleaf |
| <i>Quercus alba</i> | White oak |
| <i>Quercus ellipsoidalis</i> | Northern pin oak |
| <i>Quercus macrocarpa</i> | Bur oak |
| <i>Quercus rubra</i> | Northern red oak |
| <i>Quercus velutina</i> | Black oak |
| <i>Ribes missouriense</i> | Missouri gooseberry |
| <i>Rubus idaeus</i> var. <i>strigosus</i> | Red raspberry |
| <i>Rubus occidentalis</i> | Black raspberry |
| <i>Sanicula gregaria</i> | Gregarious black snakeroot |
| <i>Smilacina racemosa</i> | Common false Solomon's seal |
| <i>Smilax tamnoides</i> | Greenbrier |
| <i>Solidago ulmifolia</i> | Elm-leaved goldenrod |
| <i>Tilia americana</i> | Basswood |
| <i>Toxicodendron rydbergii</i> | Western poison ivy |
| <i>Vaccinium angustifolium</i> | Lowbush blueberry |
| <i>Vitis riparia</i> | Wild grape |
| <i>Zanthoxylum americanum</i> | Prickly ash |

Source: Minnesota Department of Natural Resources (2005). Field Guide to the Native Plant Communities of Minnesota: The Eastern Broadleaf Forest Province. Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program. MNDNR St. Paul, MN.

Species Frequently Found in Native Plant Communities

Southern Dry-Mesic Pine-Oak Woodland (FDs27)

Jack Pine - Oak Woodland (Sand) (FDs27a)

| Scientific Name | Common Name | Rare Status |
|--|-----------------------------|-------------|
| <i>Antennaria</i> spp. | pussytoes | |
| <i>Chimaphila umbellata</i> var. <i>cisatlantica</i> | Pipsissewa | |
| <i>Hedyotis longifolia</i> | Bluets | |
| <i>Lespedeza capitata</i> | Round-headed bush clover | |
| <i>Lithospermum carolinense</i> var. <i>croceum</i> | Hairy puccoon | |
| <i>Pinus banksiana</i> | Jack pine | |
| <i>Smilacina stellata</i> var. <i>stellata</i> | Starry false Solomon's seal | |
| <i>Vaccinium angustifolium</i> | Lowbush blueberry | |

Source: Minnesota Department of Natural Resources (2005). Field Guide to the Native Plant Communities of Minnesota: The Eastern Broadleaf Forest Province. Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program. MNDNR St. Paul, MN.

Species Frequently Found in Native Plant Communities

Southern Dry-Mesic Pine-Oak Woodland (FDs27)

White Pine - Oak Woodland (Sand) (FDs27b)

| Scientific Name | Common Name | Rare Status |
|---|-------------------------------|-------------|
| <i>Aralia nudicaulis</i> | Wild sarsaparilla | |
| <i>Campanula rotundifolia</i> | Harebell | |
| <i>Circaea lutetiana</i> var. <i>canadensis</i> | Common enchanter's nightshade | |
| <i>Comandra umbellata</i> var. <i>umbellata</i> | Bastard toadflax | |
| <i>Pinus strobus</i> | White pine | |
| <i>Quercus rubra</i> | Northern red oak | |
| <i>Smilax</i> spp. | carrion flower | |
| <i>Solidago flexicaulis</i> | Zigzag goldenrod | |

Source: Minnesota Department of Natural Resources (2005). Field Guide to the Native Plant Communities of Minnesota: The Eastern Broadleaf Forest Province. Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program. MNDNR St. Paul, MN.

Species Frequently Found in Native Plant Communities

Southern Dry-Mesic Pine-Oak Woodland (FDs27)

Black Oak - White Oak Woodland (Sand) (FDs27c)

| Scientific Name | Common Name | Rare Status |
|---|----------------------|-------------|
| <i>Fragaria vesca</i> var. <i>americana</i> | Wood strawberry | |
| <i>Fragaria virginiana</i> | Common strawberry | |
| <i>Helianthus strumosus</i> | Woodland sunflower | |
| <i>Monotropa uniflora</i> | Indian pipe | |
| <i>Prunus pensylvanica</i> | Pin cherry | |
| <i>Quercus ellipsoidalis</i> | Northern pin oak | |
| <i>Quercus velutina</i> | Black oak | |
| <i>Solidago ulmifolia</i> | Elm-leaved goldenrod | |

Source: Minnesota Department of Natural Resources (2005). Field Guide to the Native Plant Communities of Minnesota: The Eastern Broadleaf Forest Province. Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program. MNDNR St. Paul, MN.