

Species Frequently Found in Native Plant Communities

Northern Rich Tamarack Swamp (Western Basin) (FPn82)

Types in Class: Rich Tamarack - (Alder) Swamp (FPn82a)
Extremely Rich Tamarack Swamp (FPn82b)

| Scientific Name | Common Name | Rare Status |
|--|----------------------------|-------------|
| <i>Abies balsamea</i> | Balsam fir | |
| <i>Acer rubrum</i> | Red maple | |
| <i>Alnus incana</i> ssp. <i>rugosa</i> | Speckled alder | |
| <i>Andromeda glaucophylla</i> | Bog rosemary | |
| <i>Aster puniceus</i> | Red-stemmed aster | |
| <i>Betula papyrifera</i> | Paper birch | |
| <i>Betula pumila</i> | Bog birch | |
| <i>Calamagrostis canadensis</i> | Bluejoint | |
| <i>Calla palustris</i> | Wild calla | |
| <i>Campanula aparinoides</i> | Marsh bellflower | |
| <i>Carex chordorrhiza</i> | Creeping sedge | |
| <i>Carex disperma</i> | Soft-leaved sedge | |
| <i>Carex interior</i> | Interior sedge | |
| <i>Carex lacustris</i> | Lake sedge | |
| <i>Carex leptalea</i> | Bristle-stalked sedge | |
| <i>Carex paupercula</i> | Poor sedge | |
| <i>Carex trisperma</i> | Three-seeded bog sedge | |
| <i>Chamaedaphne calyculata</i> | Leatherleaf | |
| <i>Cicuta bulbifera</i> | Bulb-bearing water hemlock | |
| <i>Coptis trifolia</i> | Goldthread | |
| <i>Cornus canadensis</i> | Bunchberry | |
| <i>Cornus sericea</i> | Red-osier dogwood | |
| <i>Cypripedium acaule</i> | Stemless lady's slipper | |
| <i>Dryopteris carthusiana</i> | Spinulose shield fern | |
| <i>Dryopteris cristata</i> | Crested fern | |
| <i>Epilobium leptophyllum</i> | Linear-leaved willow herb | |
| <i>Epilobium palustre</i> | Marsh willow herb | |
| <i>Epilobium strictum</i> | Downy willow herb | |
| <i>Equisetum fluviatile</i> | Water horsetail | |
| <i>Equisetum pratense</i> | Meadow horsetail | |
| <i>Fraxinus nigra</i> | Black ash | |
| <i>Galium triflorum</i> | Sweet-scented bedstraw | |
| <i>Gaultheria hispidula</i> | Creeping snowberry | |
| <i>Kalmia polifolia</i> | Bog laurel | |
| <i>Larix laricina</i> | Tamarack | |
| <i>Ledum groenlandicum</i> | Labrador tea | |
| <i>Linnaea borealis</i> var. <i>longiflora</i> | Twinflower | |
| <i>Lonicera villosa</i> | Mountain fly honeysuckle | |
| <i>Lycopus uniflorus</i> | Northern bugleweed | |
| <i>Lysimachia thyrsiflora</i> | Tufted loosestrife | |
| <i>Maianthemum canadense</i> | Canada mayflower | |

Species Frequently Found in Native Plant Communities

Northern Rich Tamarack Swamp (Western Basin) (FPn82)

| | |
|--|-----------------------------------|
| <i>Menyanthes trifoliata</i> | Buckbean |
| <i>Osmunda cinnamomea</i> | Cinnamon fern |
| <i>Picea mariana</i> | Black spruce |
| <i>Polygonum sagittatum</i> | Arrow-leaved tearthumb |
| <i>Potentilla palustris</i> | Marsh cinquefoil |
| <i>Pyrola asarifolia</i> | Pink shinleaf |
| <i>Pyrola secunda</i> | One-sided pyrola |
| <i>Rhamnus alnifolia</i> | Dwarf alder |
| <i>Ribes hirtellum</i> | Swamp gooseberry |
| <i>Rubus pubescens</i> | Dwarf raspberry |
| <i>Rumex orbiculatus</i> | Great water dock |
| <i>Salix candida</i> | Sage-leaved willow |
| <i>Salix discolor</i> | Pussy willow |
| <i>Salix pedicellaris</i> | Bog willow |
| <i>Scutellaria galericulata</i> | Marsh skullcap |
| <i>Smilacina trifolia</i> | Three-leaved false Solomon's seal |
| <i>Stellaria longifolia</i> | Long-leaved chickweed |
| <i>Thelypteris palustris</i> var. <i>pubescens</i> | Northern marsh fern |
| <i>Thuja occidentalis</i> | White cedar |
| <i>Trientalis borealis</i> | Starflower |
| <i>Vaccinium angustifolium</i> | Lowbush blueberry |
| <i>Vaccinium oxycoccos</i> | Small cranberry |
| <i>Viola blanda</i> | Big-leaved white violet |
| <i>Viola macloskeyi</i> var. <i>pallens</i> | Northern white violet |

Source: Minnesota Department of Natural Resources (2005). Field Guide to the Native Plant Communities of Minnesota: The Eastern Broadleaf Forest Province. Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program. MNDNR St. Paul, MN.

Species Frequently Found in Native Plant Communities

Northern Rich Tamarack Swamp (Western Basin) (FPn82)

Rich Tamarack - (Alder) Swamp (FPn82a)

| Scientific Name | Common Name | Rare Status |
|--------------------------------|------------------|-------------|
| <i>Carex canescens</i> | Silvery sedge | |
| <i>Carex chordorrhiza</i> | Creeping sedge | |
| <i>Chamaedaphne calyculata</i> | Leatherleaf | |
| <i>Kalmia polifolia</i> | Bog laurel | |
| <i>Ledum groenlandicum</i> | Labrador tea | |
| <i>Picea mariana</i> | Black spruce | |
| <i>Quercus rubra</i> | Northern red oak | |
| <i>Salix pedicellaris</i> | Bog willow | |

Source: Minnesota Department of Natural Resources (2005). Field Guide to the Native Plant Communities of Minnesota: The Eastern Broadleaf Forest Province. Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program. MNDNR St. Paul, MN.

Species Frequently Found in Native Plant Communities

Northern Rich Tamarack Swamp (Western Basin) (FPn82)

Rich Tamarack - (Alder) Swamp (FPn82a)

| Scientific Name | Common Name | Rare Status |
|--|--------------------------|-------------|
| <i>Picea mariana</i> | Black spruce | |
| <i>Larix laricina</i> | Tamarack | |
| <i>Thuja occidentalis</i> | White cedar | |
| <i>Betula papyrifera</i> | Paper birch | |
| <i>Acer rubrum</i> | Red maple | |
| <i>Fraxinus nigra</i> | Black ash | |
| <i>Cornus sericea</i> | Red-osier dogwood | |
| <i>Linnaea borealis</i> var. <i>longiflora</i> | Twinflower | |
| <i>Galium triflorum</i> | Sweet-scented bedstraw | |
| <i>Caltha palustris</i> | Common marsh marigold | |
| <i>Mitella nuda</i> | Naked miterwort | |
| <i>Scutellaria galericulata</i> | Marsh skullcap | |
| <i>Platanthera hyperborea</i> | Tall Northern bog orchid | |
| <i>Cypripedium reginae</i> | Showy lady's slipper | |

Source: Minnesota Department of Natural Resources (2005). Field Guide to the Native Plant Communities of Minnesota: The Eastern Broadleaf Forest Province. Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program. MNDNR St. Paul, MN.