

## Species Frequently Found in Native Plant Communities

### Northern Rich Fen (Water Track) (OPn91)

**Types in Class: Shrub Rich Fen (Water Track) (OPn91a)**

**Graminoid Rich Fen (Water Track) (OPn91b)**

*Featureless Water Track Subtype (OPn91b1)*

*Flark Subtype (OPn91b2)*

Scientific Name	Common Name	Rare Status
<i>Agrostis hyemalis</i>	winter bentgrass	E
<i>Andromeda glaucophylla</i>	bog rosemary	
<i>Aster borealis</i>	bog aster	
<i>Betula pumila</i>	bog birch	
<i>Bromus ciliatus</i>	fringed brome	
<i>Campanula aparinoides</i>	marsh bellflower	
<i>Carex aquatilis</i>	aquatic sedge	
<i>Carex buxbaumii</i>	Buxbaum's sedge	
<i>Carex chordorrhiza</i>	creeping sedge	
<i>Carex diandra</i>	lesser panicled sedge	
<i>Carex echinata</i>	slender sedge	
<i>Carex exilis</i>	coastal sedge	SC
<i>Carex interior</i>	interior sedge	
<i>Carex lasiocarpa</i>	fen wiregrass sedge	
<i>Carex leptalea</i>	bristle-stalked sedge	
<i>Carex limosa</i>	candle-lantern sedge	
<i>Carex livida</i>	lead-colored sedge	
<i>Carex prairea</i>	prairie sedge	
<i>Carex tenuiflora</i>	sparse-flowered sedge	
<i>Chamaedaphne calyculata</i>	leatherleaf	
<i>Drosera anglica</i>	English sundew	SC
<i>Drosera intermedia</i>	spatulate-leaved sundew	
<i>Drosera linearis</i>	linear-leaved sundew	SC
<i>Drosera rotundifolia</i>	round-leaved sundew	
<i>Eleocharis compressa</i>	flattened spikerush	
<i>Equisetum fluviatile</i>	water horsetail	
<i>Eriophorum chamissonis</i>	Chamisso's cottongrass	
<i>Eriophorum gracile</i>	slender cottongrass	
<i>Eriophorum polystachion</i>	tall cottongrass	
<i>Eriophorum tenellum</i>	delicate cottongrass	
<i>Galium labradoricum</i>	labrador bedstraw	
<i>Larix laricina</i>	tamarack	
<i>Ledum groenlandicum</i>	labrador tea	
<i>Lobelia kalmii</i>	Kalm's lobelia	
<i>Lycopus uniflorus</i>	northern bugleweed	
<i>Lysimachia thyrsiflora</i>	tufted loosestrife	
<i>Menyanthes trifoliata</i>	buckbean	
<i>Muhlenbergia glomerata</i>	clustered muhly grass	
<i>Myrica gale</i>	sweet gale	

## Species Frequently Found in Native Plant Communities

### Northern Rich Fen (Water Track) (OPn91)

<i>Parnassia palustris</i>	marsh grass-of-parnassus
<i>Pedicularis lanceolata</i>	swamp lousewort
<i>Pogonia ophioglossoides</i>	rose pogonia
<i>Potentilla fruticosa</i>	shrubby cinquefoil
<i>Potentilla palustris</i>	marsh cinquefoil
<i>Rhamnus alnifolia</i>	dwarf alder
<i>Rhynchospora alba</i>	white beak rush
<i>Rhynchospora fusca</i>	sooty-colored beak rush
<i>Rubus acaulis</i>	arctic raspberry
<i>Salix candida</i>	sage-leaved willow
<i>Salix pedicellaris</i>	bog willow
<i>Salix petiolaris</i>	slender willow
<i>Salix serissima</i>	autumn willow
<i>Sarracenia purpurea</i>	pitcher plant
<i>Scheuchzeria palustris</i>	scheuchzeria
<i>Scirpus cespitosus</i>	tufted bulrush
<i>Scirpus hudsonianus</i>	Hudson bay bulrush
<i>Smilacina trifolia</i>	three-leaved false Solomon's seal
<i>Solidago uliginosa</i>	bog goldenrod
<i>Sphagnum spp.</i>	sphagnum
<i>Thelypteris palustris</i>	northern marsh fern
<i>Triglochin maritima</i>	seaside arrowgrass
<i>Utricularia cornuta</i>	horned bladderwort
<i>Utricularia intermedia</i>	intermediate bladderwort
<i>Utricularia minor</i>	lesser bladderwort
<i>Vaccinium oxycoccos</i>	small cranberry
<i>Viola blanda</i>	big-leaved white violet
<i>Viola macloskeyi pallens</i>	northern white violet
	brown mosses

Source: Minnesota Department of Natural Resources (2005). Field Guide to the Native Plant Communities of Minnesota: The Eastern Broadleaf Forest Province. Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program. MNDNR St. Paul, MN.

## Species Frequently Found in Native Plant Communities

### Northern Rich Fen (Water Track) (OPn91)

#### Shrub Rich Fen (Water Track) (OPn91a)

Scientific Name	Common Name	Rare Status
<i>Andromeda glaucophylla</i>	bog rosemary	
<i>Betula pumila</i>	bog birch	
<i>Chamaedaphne calyculata</i>	leatherleaf	
<i>Potentilla fruticosa</i>	shrubby cinquefoil	
<i>Sphagnum spp.</i>	sphagnum	

Source: Minnesota Department of Natural Resources (2005). Field Guide to the Native Plant Communities of Minnesota: The Eastern Broadleaf Forest Province. Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program. MNDNR St. Paul, MN.

## Species Frequently Found in Native Plant Communities

### Northern Rich Fen (Water Track) (OPn91)

#### Graminoid Rich Fen (Water Track) (OPn91b)

Scientific Name	Common Name	Rare Status
<i>No information available</i>		

Source: Minnesota Department of Natural Resources (2005). Field Guide to the Native Plant Communities of Minnesota: The Eastern Broadleaf Forest Province. Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program. MNDNR St. Paul, MN.

#### Featureless Water Track Subtype (OPn91b1)

Scientific Name	Common Name	Rare Status
<i>Sphagnum spp.</i>	sphagnum	
	brown mosses	

Source: Minnesota Department of Natural Resources (2005). Field Guide to the Native Plant Communities of Minnesota: The Eastern Broadleaf Forest Province. Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program. MNDNR St. Paul, MN.

#### Flark Subtype (OPn91b2)

Scientific Name	Common Name	Rare Status
<i>Carex livida</i>	lead-colored sedge	
<i>Drosera anglica</i>	English sundew	SC
<i>Drosera linearis</i>	linear-leaved sundew	SC
<i>Triglochin maritima</i>	seaside arrowgrass	
<i>Utricularia minor</i>	lesser bladderwort	

Source: Minnesota Department of Natural Resources (2005). Field Guide to the Native Plant Communities of Minnesota: The Eastern Broadleaf Forest Province. Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program. MNDNR St. Paul, MN.